



Network Management Suite



Multiport Secure Routers



Full Gigabit Switches



Dual-Radio Wireless



Industrial Gateways

Reliable Edge-to-Core Networks for Smart Applications

The automation industry is accelerating network expansion and convergence to meet emerging opportunities and challenges. To stay ahead of the curve, Moxa's industrial Ethernet solutions speed up automation network convergence by constantly improving industry-focused reliability and interoperability. Transcending the boundaries between wired and wireless networks, as well as legacy and modern technologies, Moxa's industrial Ethernet solutions bring you reliable, low cost, and easy-to-deploy edge-tocore networks for smart applications in harsh conditions.





Moxa's industrial Ethernet portfolio addresses edge-to-core multilayer network deployment. A wide selection of 10GbE, GbE, 802.11n, and PoE+ product lines provides the most comprehensive scalability and future-proof performance.

EASY MANAGEMENT

Designed for automation engineers, MXstudio is a suite of network management software with smart graphical user interfaces that make configuration. deployment, monitoring, and troubleshooting quick and easy.

SECURED NETWORK

Network security is never optional. Integrate costeffective cybersecurity into your entire network infrastructure with Moxa's multilayer security solutions and multiport router/switch combination devices.

SMART REDUNDANCY

Moxa offers innovative wired and wireless redundancy and seamless roaming technologies that optimize vour network designs with superior availability, scalability, and also large savings on deployment time and

LEGACY TO IP

All Moxa Ethernet managed switches and gateways support industrial PROFINET, EtherNet/IP, and Modbus protocols to enable communications across different manufacturing protocols for more sophisticated SCADA applications and lower cost of operation.





Moxa's edge-to-core industrial Ethernet solutions extend network convergence to a wide variety of hardware and software to meet the challenges of demanding applications in harsh environments.

Automation-Friendly Network Management Suite pages 3-4

You don't need to be an IT expert to use Moxa's MXstudio network management suite. Download the full-featured trial version to see how easy it can be to manage your network life cycle.

NAT/VPN/Firewall Secure Routers pages 5-

From field sites, to function zones, to critical assets, Moxa facilitates multi-layer cybersecurity to protect your entire infrastructure with a full line of secure routers that deliver up to 500 Mbps throughput.

Industrial Ethernet Switches pages 7-12

Moxa's portfolio of industrial switches deliver both flexibility and reliability with over 500 products ranging from layer 2 and layer 3 switches, to high-density GbE and 10GbE rackmount models, to compact DIN-rail models.

Industrial Wireless Connectivity pages 13-16

By combining Turbo Roaming, dual-radio redundancy, and GuaranLink technologies, Moxa's wireless solutions guarantee the most mobile and reliable WiFi and cellular connectivity anywhere.

Industrial Ethernet Gateways pages 17-18

Moxa's industrial Ethernet gateways enable reliable and seamless fieldbus integration between factory automation networks and the industrial Ethernet backbone for real-time applications.

Other Networking and Automation Solutions


Moxa's solutions provide industrial networks with advanced data and video control, monitoring, and communications capabilities. Our automation solutions are compatible with several important industrial standards and application requirements to achieve a reliable and fully converged Ethernet network.

QUALITY & RELIABILITY

- · Wide temperature models available
- IP30/54/66/67/68, metal enclosures
- · Conformal coating
- · Fanless design and high MTBF
- · Hazardous location certifications
- 5-year warranty

SERVICE THAT ENSURES

With over 25 years of industry experience, Moxa has the know-how to design and deploy industrial networks that best fit your unique requirements. Call on Moxa's consulting services to simplify and optimize your industrial network infrastructure according to the specific industry standards, protocols, and technologies you need.





MXstudio: Answers for Network Management Challenges

Easy network management for industrial automation is no longer a dream. Thanks to MXstudio, a suite of industrial network management software, industrial network managers can now leverage proactive intelligence to answer complex management challenges throughout the network management life cycle, which includes installation, operation, maintenance, and diagnostics. In particular, this management suite includes Moxa's MXconfig, MXview, and N-Snap software that save you time and effort in keeping critical industrial networks up and running for maximum performance.

Stages Challenges MXstudio Solutions Benefits

Installation

One by one device deployment is a laborious, time-consuming, and error-prone task.

MXconfig speeds up network deployment by flexible batch configuration, duplication, and link sequence detection. Easy Configuration
Make mass
configuration
ten times faster.



Operation

Making sense of network health, traffic, and activities can be a daunting task. Moreover, interconnectivity issues and missing or mishandled device statuses can also create problems and losses.

MXview offers a live visualization of the physical network topology that presents critical information at a glance. Non-IT engineers can simply click on the live-view graphic to manage all network statuses, traffic, and activity easily and quickly.

Smart Visualization
Visualize the
network status in a
graphical interface.



Maintenance

Network backups allow recovery for reliable operations. ... However, backing up a network normally requires repetitive manual tasks that raise maintenance time, costs, and risks.

MXview's Config Center supports one-click automatic bulk configuration backups, allowing scheduled backups and selectable rollbacks for easy maintenance.

Easy Maintenance
Enable automatic configuration backups.



Diagnostics

Finding the source or root cause of network problems can be very difficult in large networks. Delayed and incorrect diagnostics waste time and resources when troubleshooting blindfolded.

MXview enables event search and playback functions like video playback. Users can rewind topology and event to investigate network changes easily. N-Snap also enables one-click device information collection that helps engineers identify and analyze any

Quick Troubleshooting
ldentify the
source of network
problems quickly.



Unlimited-Time Free Trial ▶▶





MXstudio Software Solutions

MXconfig

Industrial Network Configuration Tool



- Mass configuration function to reduce setup time
- Link sequence detection eliminates manual configuration errors
- Configuration overview for efficient management

MXview

Industrial Network Management Software



- Automatic topology discovery and visualization with VLAN/IGMP grouping
- Event Playback for reviewable diagnostics
 Third-party devices supported with MIB
- complier and MIB browser

 OPC tags to integrate with SCADA/HMI applications

N-Snap

Industrial Network Snapshot Tool



- A standalone utility used to take network snapshots for quick troubleshooting
- Automatically compare network and device data, and highlight the differences

Third Party Support and Collaboration

Collaboration with Third Party NMSs

MXview can extend the reach of network management and collaborate with large network systems by setting trap receivers and sending SNMP traps to up to two other network management software platforms, which may focus on end-to-end service availability rather than physical network connectivity.



Easy SCADA Communication

For integration with automation systems, MXview can act as an OPC server and generate OPC tags to simplify communication between network devices, data processors, and SCADA/HMI monitoring.





Support List for Moxa's Networking Devices

* Available in Q3, 2014.

	Managed Ethernet Switches	Wireless AP/ Clients	Secure Routers	Industrial Ethernet Gateways	Serial-to- Ethernet Devices	Ethernet Extenders	IP Cameras	ioLogik E2000/5000 RTU Controllers	Third Party SNMP
MXview	✓	✓	✓	✓	✓	✓	✓	✓	✓
MXconfig	✓	√ *	√ *	√ *	√ *	✓	√ *	_	-
N-Snap	✓	-	_	-	-	-	-	_	-

3



Multi-Layer, Defense-in-Depth

ANSI/ISA-99 (IEC 62443) standards lay out the best practices for industrial control system (ICS) security. In the ANSI/ISA-99 model, ICS devices are segmented into independent function zones that communicate through firewall-protected "conduits."

Moxa offers a complete portfolio of cybersecurity solutions to help you deploy a defense-in-depth security infrastructure that expands security coverage on your automation network at various locations:

- · Protect the entire local site and secure remote data transmissions from the control
- · Protect data transmissions from multiple device cells and critical devices.
- · Protect the data collected from multiple field devices, including I/O devices, meters, and IP cameras.

Enhance Security without Raising Costs

Security waits for no one, especially in around-the-clock industrial automation applications. To protect your missioncritical networks, Moxa provides a series of Gigabit secure routers that protect remote access to field devices through public networks and facilitate layered defense-in-depth network security for automation networks.

The EDR series provides up to 150 Mbps VPN throughput and 500 Mbps firewall throughput for both secure remote access and critical infrastructure protection. In addition. Moxa has added layer 2 switching functions to the EDR-810 firewall/NAT/VPN router. Using this router/switch combo solution, customers can extend pervasive network security throughout the entire network without raising costs.

EDR-810

Secure Router/ Switch Combo

The EDR-810 is a multiport industrial secure router with L2 switch functions that reduce deployment costs and effort. This solution excels in remote field monitoring and maintenance, small-scale control networks, or control cells partitioned by function.

- 8+2G for 1 WAN and 15 LAN interfaces
- Firewall/NAT/VPN/Switch/Router
- Built-in Modbus TCP deep packet inspection
- · Cost-saving with multiport connectivity

www.moxa.com/secure ITS

An ITS Story from the U.S.

Secure Traffic Signal Controls

A municipal traffic signal control system in the US adopted the EDR-810-VPN to facilitate encrypted network connections between 115 intersections and the traffic control center.

Solution & Benefits

- 8 + 2G ports for Ethernet and VPN
- 20 Mbps VPN bandwidth for remote communication and centralized control

A Factory Automation Story from the U.S.

Cybersecurity in Factory Automation

manufacturer used the EDR-810 to protect

- Dual power inputs for redundancy
- · NEMA TS2 compliance

Wireless Intersection System


Critical Device Protection

The EDR series provides firewall protection for critical network devices such as PLCs, RTUs, and DCS, as well as support for industrial protocols.



Secure Remote Access

Using IPSec and L2TP technologies, the EDR-810 can set up 10 encrypted VPN tunnels for secure remote access between industrial networks and remote applications, such as water treatment, oil and gas, power, or ITS networks.



TCP Packet Inspection

All EDR routers come with PacketGuard™ inspection software to perform deep Modbus TCP protocol inspection and automation network data filtering with a simple click.




Solution & Benefits
• 8 + 2G ports for Ethernet and firewall

and connect its production networks.

A world-leading consumer goods

· Factory network segmentation and filtering



Wired and Wireless Collaborated Security

Moxa's 2G/3G cellular devices can be used with the EDR series secure router to establish reliable VPN connections and extend secure remote access beyond wired communication.



OnCell 5004/5104-HSPA Industrial five-band HSPA cellular routers

OnCell G3110/G3150-HSPA Industrial five-band HSPA IP gateways

Secure Routers Target requirement Dual WAN redundancy Security between WAN and LAN communication Multiple ports for direct device connections 1 WAN; 15 LANs (SFP fiber or RJ45) 2 WANs (Combo); 1 LAN (Combo) 1 WAN (Combo); 1 LAN (RJ45) Interface 500 Mbps (40,000 fps) 300 Mbps (25,000 fps) 100 Mbps (10,000 fps) Throughput Firewall/NAT 512/256 policies 256/128 policies 256/128 policies VPN 100 IPSec tunnels 50 IPSec tunnels 10 IPSec tunnels WAN backup Dual WANs DMZ



Extend Industrial Reliability to Control Rooms

- L2/L3 1/10GbE Portfolio
- Network Recovery in under 20 ms
- Built-in Reliability
- Lower Total Cost of Ownership




Extend Consistent Reliability to Control Rooms

Does your control room provide enough protection to prevent network interruptions caused by electrical noise, power surge, EMI, or link failure? For networks that need consistent edge-to-core reliability in mission-critical applications, the time has come to extend the proven reliability of industrial switches from the field site into the control room by using Moxa's complete range of GbE-level and 10GbE-level industrial rackmount switch solutions.

Availability and Reliability

Moxa's industrial rackmount switches address built-in reliability that delivers superior EMI shielding and extreme temperature resilience without relying on a fan or heater.

- Network recovery in under 20 ms
- -40 to 75°C operating temperature
- High level EMI/EMC shielding
- High MTBF with no fan/heater needed
- Hot swappable operation (ICS-G7x48A/ G7x50A/G7x52A series only)
- Redundant power supply with isolated protection



Future-Proof Performance

Moxa's rackmount switches include highdensity fixed and modular 10GbE and full-Gigabit platforms with copper, fiber, or SFP/SFP+ port combinations to fulfill highly dynamic backbone requirements.

- Up to 4 10GbE and 48 GbE ports
- Flexible density with 4-port slot and single-port 10GbE/GbE modularity
- Tiny 10GbE/GbE SFP transceiver modules allow transmission up to 120 km

Lower Total Cost of Ownership

Moxa's redundancy technologies provide self-healing recovery in under 20 ms, and also lower total cost of ownership.

- Turbo Ring and Turbo Chain technologies enable media redundancy under 20 ms (@250 switches) without the expense of duplicate hardware
- Turbo Chain technology freely creates additional redundant subnets as needed, without the expense of ring coupling connections
- Best of all, both technologies are free and available for all of Moxa's managed switches



High-density GbE/10GbE links

Redundant ring & uplinks

2014 Additions!



USB Support

Moxa's rackmount switches now provide two USB ports; one for USB storage, backup, and restoration; and one USB console used for local initial access.



Web III 2.0

The new web console offers a virtual panel that displays the switch's front panel for easy monitoring of port connections and traffic volume.

Laver 3 Switches



^{*} All A series rackmount switches will be availabile in Q3, 2014.

A Railway Story from France

moxa.com/control_room_reliability

The Obvious Choice When Reliability Is Important

Video Demo

	Moxa Industrial Rackmount Switches	Commercial Rackmount Switches
ESD	±8 kV	±4 kV
Radiated RFI	10 V/m @ 80 Mhz to 1 GHz	3 V/m @ 80 Mhz to 1 GHz
Surge	2 kV	1.5 kV
EFT	1 kV	0.5 kV
Operating Temperature	-10 to 60°C / -40 to 75°C	0 to 40°C
Heat Dissipation	Fanless	Fan
Industrial Certifications	EN 60950-1, EN 50121-4, FCC Part15, CISPR (EN 55022) class A	CE/FCC

300-km Railway Surveillance

Moxa's rackmount switches and management software were used to aggregate and forward all network traffic from distributed IP surveillance, access control, IP phone, and signaling systems along a high-speed rail line.

Solution & Benefits

- IKS-G6824 offers 24-port Gigabit bandwidth, and layer 3 routing, and switching for central management.
- IKS-6728-8PoE offers 4G+24 modular connection and PoE connectivity up to 8-port 36W output to support powerhungry cameras with power cable savings.
- MXview offers live view topology monitoring for easy diagnostics and event management.

An ITS Story from the U.S.

FC (CU) US ENSO121 Turbo Turbo Chain

moxa.com/tunnel_surveillance_solution

10GbE Core Backbone for Critical Tunnel Surveillance

A U.S. tunnel used Moxa's edge-to-core Ethernet solution to deploy a robust communication infrastructure for real-time monitoring of IP surveillance, massevacuation, variable message signs, and radio broadcast systems.

Solution & Benefits

- Live color visualization by MXview provides efficient event monitoring.
- ICS-G7850 core switches offer 10GbE real-time aggregation of massive video and data traffic.
- EDS-611/619 modular switches offer flexible and durable outdoor connectivity.
- VPort 461 video encoders migrate existing analog CCTV cameras to an IP network for cost-efficient H.264 IP video streaming.
- Excellent reliability with built-in self-healing recovery and wide temperature operation.

The World's First MMS Switch Family

- PT-7528 Series IEC 61850-3 28-port managed rackmount
 IEC 61850-3, IEEE 1613 compliant
- Built-in MMS server for Power SCADA communications
 NoiseGuard™ for wire speed zero packet loss
- Redundant isolated power inputs
- High availability with Turbo Ring and Turbo Chain, RSTP/STP, and MSTP redundancy protocols
- -40 to 85°C operating temperature range

Layer 2 Switches Full Best Value Modular

		TOTAL DESIGNATION		0000000	T , HITCHES STEEL, T. D.	(10 pt ptm(910 ptm)	11 =	A PROPERTY OF	A THE REST OF STREET
	ICS-G7752A/ G7750A	ICS-G7728A/ G7726A	ICS-G7748A	IKS-G6524A	IKS-6728A/ 6726A	IKS-6728A-8PoE	EDS-728	PT-7728-PTP	PT-7528
10GbE	4/2	4/2	_	_	_	_	_	_	_
GbE	48/48	24/24	48	24	4/2	4	4	4	4
10/100 FE	-	-	-		24	Up to 24	Up to 24	24	24
PoE	-	-	-	-	_	8 (up to 24)	-	_	-

^{*} All A series rackmount switches will be availabile in Q3, 2014



Power Up Heavy Duty IP Cameras over Ethernet

- Up to 24 PoE+ Ports
- 3 kV LAN Surge Protection
- -40 to 75°C Operating Temperature Ran



Stay Ahead of Challenges and Competition

As manufacturers increasingly rely on remote networks, it is essential to increase field-level defense to meet ever-increasing environmental challenges. The new EDS-E series fulfills Moxa's promises to deliver industry-leading reliability and environmental friendliness. Moxa adds a new generation of reliability features to the EDS-E series switches that drive evolutionary efficiency and manageability, and lower cost of operation to help your business stay ahead of challenges and opportunities.

Performance/Efficiency

- · 3 to 16-port Gigabit density
- Up to 4-port Gigabit fiber uplinks
- Energy saving up to 30% through IEEE
- Compact form factor for space-limited deployment sites

Reliability

- Level-4 EMC/EMI immunity
- Fanless, -40 to 75°C operation
- Complies with C1D2/ATEX, DNV. NEMA TS2, EN 50121-4, IEEE 1613 Class 2 standards



Manageability

- · Easy network management with MXstudio (MXview, MXconfig, N-Snap) management suite
- Easy local management by web browser, CLI, USB console, ABC-02-USB, and Windows utility

Availability

Supports Turbo Ring and Turbo Chain (recovery time < 50 ms @ 250 switches), RSTP/STP, and MSTP for fast resilience



Security

- Authentication and authorization by Radius, TACACS+, IEEE 802.1X
- Multi-user access allowed by authentication

Interoperability

Supports EtherNet/IP, PROFINET. and Modbus/TCP protocols for easy PLCs and SCADA integration






Vhite Paper Download Five Future Challenges for Industrial Ethernet



- EDS E series Reliability Tests · Next Generation of Industrial Ethernet Switches

Next Generation of Industrial Ethernet Switches



Fast and Smart Power over IP Surveillance

Moxa's PoE/PoE+ switches are perfect for networking IP cameras that might support power-demanding PTZ motions, and wiper and heater operations. Moxa's PoE/PoE+ products deliver high port-density Ethernet connections and high power output to facilitate fast edge infrastructure deployment with minimal installation effort and cost. The complete portfolio ranges from 5 to 24port models and delivers output up to 36 W per PoE+ port with easy and smart power management.

Superior PoE/PoE+ Capability

- IEEE 802.3af/at compliant
- 15.4W/30W/36W/60W PoE/PoE+ output all available
- Supports legacy/non-standard PD by forcing output mode

Easy Management

- Smart PoE management for power scheduling, PD failure detection, and remote PD reboot
- Built-in PoE diagnostics for PoE device power mode
- Easy troubleshooting with LED status indicators

Reliability


- · Supports Turbo Ring, Turbo Chain, and MSTP/RSTP/STP redundancy technologies
- Redundant dual power inputs
- 3 kV LAN surge protection
- -40 to 75°C operating temperature

moxa.com/Tramway

A Tramway Story from Europe

Ticketing and Surveillance over Fiber Ring

A tramway network in Europe used the EDS-P510 to form a fiber ring network. The PoE switch plays a key role in connecting to surveillance, ticketing, and travel information systems, and also delivers power to IP cameras at every stop.



Solution & Benefits

- EDS-P510 offers 3 Gigabit ports for massive video and data flows
- 36 W high power PoE switch for easy and cost efficient PD device installation
- SFP fiber for data transmission up to



IKS-6728-8PoE

24+4G-port modular PoE+ switches

- Up to 24-port/720 W full loading
 Up to 36 W output per PoE+ port
- 3 kV LAN surge protection

Extended PoE/PoE+ Support

- INJ-24A series 60 W GbE PoE+ injector
- INJ-24 PoE+ injectors
- SPL-24 PoE splitters

VPort 36-1MP H.264 PoE IP camera

- AWK-3121/4121 indoor/outdoor wireless AP/bridge/client NPort P5150A 1-port RS-232/422/485 device server
- IMC-P101 Ethernet-to-fiber media converters

Managed PoE+/PoE Switches





















	EDS-G512E- 8PoE *	IKS-6728-8PoE	EDS-P510A- 8PoE	EDS-P506A- 4PoE	EDS-P510	TN-5508A-8PoE/ TN-5516A-8PoE *	EDS-G205A- 4PoE	EDS-P206A- 4PoE	EDS-P308	TN-5308- 4/8PoE
Ethernet Ports	12 GE	4 GE + 24 FE	2 GE + 8 FE	6 FE	3 GE + 7 FE	8 FE / 16 FE	5 GE	6 FE	8 FE	8 FE
PoE Ports	8 PoE+	8 / 16 / 24 PoE+	8 PoE+	4 PoE+	4 PoE	4/8 PoE	4 PoE+	4 PoE+	4 PoE	4/8 PoE
PoE Output	36 W	36 W	36 W	30 W	15.4 W	15.4 W	30 W	30 W	15.4 W	15.4 W

^{*} Available in Q3, 2014

* Pending for the EDS-G500E series only



Over 12 Million Moxa Ports Deployed in Industrial Networks

- Built for Mission-Critical Applications
- Over 500 Switch Models to Mix-and-Match
- Diverse Industrial Standards Compliance
- IA and IT-Friendly Management
- 5-Year Product Warranty



Moxa has set an industry benchmark by deploying over 12 million ports (on DIN-rail industrial Ethernet switches) in a variety of global mission-critical systems. Moxa's DIN-rail industrial Ethernet switches support speeds from 100 Mb to 1 Gb with different copper and fiber port combinations for maximum flexibility and scalability. The unique features of Moxa's industrial Ethernet switches enable nonstop network connectivity and include proven industrial design, seamless integrated security, and optimized price-to-performance ratio. Built-in fast recovery Ethernet redundancy also ensures excellent availability for business continuity and productivity.

Managed Ethernet Switches

- Ethernet recovery < 20 ms with up to 250 switches
- · QoS, VLAN, IGMP snooping
- · Easy network management with MXstudio management suite
- Easy local management by web browser, CLI, USB/serial console, ABC-02-USB, and Windows utility
- Enhanced security with TACACS+, IEEE 802.1X, HTTPS, and SSH
- Supports EtherNet/IP, PROFINET, and Modbus/TCP protocols for easy PLC and SCADA integration

Managed/Unmanaged Ethernet Switches

- · Full Gigabit and fiber links available
- Fanless operations with -40 to 75°C operating temperature and redundant power inputs
- Industrial robust design with ATEX/C1D2/DNV certifications

An ITS Story from France

moxa.com/ETC

Gigabit Backbone for HGV Toll Collection

A heavy goods vehicles (HGV) toll collection system in France used Moxa's Ethernet switches to deploy an industrial-grade Gigabit backbone to monitor and toll trucks via the vehicles' onboard GPS units.

- All switches provide Gigabit ports for massive video and data flows · Network recovery in 20 ms
- · All Moxa products are durable in outdoor cabinet operations



Managed Ethernet Switches

Modular Gigabit



Up to 19





· High density multi-fiber connection

v2 supported

No. of Ports

- compact design Hardware based IEEE 1588 PTP
- Hot swappable modular and

EDS-G508E/G512E/G516E 8G/12G/16G-port

Full Gigabit

• 8 to 16 Gigabit links Multiple protocols for SCADA integration

Modular

Up to 16

EDS-611

Up to 11

 Level 4 EMC protections Diverse industry certifications

EDS-608

Up to 8

EDS-518A 2G+16-port EDS-510E 3G+7-port

· 2 or 3 Gigabit ports for building

GbE + FE

18

- redundant ring or uplink service
 Intelligent managed and security
- Fiber options for long-haul transmission

10

EDS-516A 16-port EDS-508A 8-port EDS-408A 8-port EDS-505A 5-port EDS-405A 5-port

- 10/100BaseT(X) and 100BaseFX
- (multi-mode/single-mode) • Up to 3 fiber ports
- (EDS-408A 3 fiber series only)
- Long haul transmission of up to 80 km
- Fast Ethernet EDS-510A EDS-516A EDS-508A EDS-505A EDS-408A EDS-405A 16























Turbo Ring


- · Supports flexible ring topologies: Ring coupling, dual-ring, dual
- Self-healing redundancy under 20 ms at a full load of 250 switches
- · Reduce cabling and planning costs





• Redundancy under 20 ms at a full load of 250 switches

- Unlimited redundant network expansions
- Live node expansion without network interruptions
- Tremendous savings on cabling costs



EDS-205A/208A Unmanaged switch series

The EDS-205A/208A series switches offer the best value in terms of reliability and cost efficiency for applications in harsh industrial environments (such as maritime, railway, and highway applications) and hazardous locations (such as oil and gas applications).





EN 50121-4 for



C1D2/ATEX Zone 2 for



Process Automation

Unmanaged Ethernet Switches





EDS-G308 8G-port

EDS-G205 5G-port

Fiber Gigabit connections (EDS-G308-2SFP)
 9K Jumbo frame supported

Redundant 12/24/48 VDC inputs







EDS-210A 8+2G/9+1G-port

- 8 10/100 TX Ethernet ports · Redundant dual power inputs



Gigabit & Fast Ethernet

- Up to 1 TX and 1 FX Gigabit ports Up to 4 10/100 FX or









EDS-309 9-port EDS-208A 8-port EDS-205 5-port EDS-308 8-port EDS-205A 5-port

- · Plug-n-play connections and fiber support
- Class I, Div. 2/ATEX Zone 2, maritime rating

	Full G	igabit		Fast Ethernet			GbE + FE	Fast Ethernet			
	EDS-G308	EDS-G205	EDS-316	EDS-309	EDS-308	EDS-305	EDS-210A	EDS-208A	EDS-205A	EDS-208	EDS-205
No. of Ports	8	5	16	9	8	5	10	8	5	8	5
Gigabit RJ45/SFP Ports	8/0, 6/2	5/0	-	-	-	-	1/1, 0/1	-	-	-	-
Max. 10/100TX Ports	-	-	16, 15, 14	6	8, 7, 6	5, 4	4, 8	8, 7, 6	5, 4	8, 7	5
Max. 100FX Ports	_	_	0, 1, 2	3	0, 1, 2	0, 1	4, 0	0, 1, 2	0, 1	0, 1	_

Gigabit RJ45/SFP Ports 3/3 3/3 8, 8/4, 12/4 2/2 3/3 Max. 10/100TX Ports Up to 16 Up to 16 Up to 8 Up to 8 16, 14 7 16, 14 8, 6 5, 3 8, 6, 5 5, 3 Max. 100FX Ports Up to 16 Up to 16 Up to 8 Up to 8 0, 2 0, 2 0, 2 0, 2 0, 2, 3 0, 2

Full GbE

FDS-G508F/

8, 12, 16





Wireless Reliability and Mobility for Outdoor Productivity

Moxa's industrial wireless solutions offer an innovative combination of reliability and flexibility to ensure maximum uptime and minimal operation costs. Concurrent Dual-Radio technology delivers zero packet loss for WLAN communication and Turbo Roaming technology offers millisecond-scale handovers to deliver seamless wireless connectivity. Outdoor rated features provide unparalleled reliability under extreme conditions, allowing you to extend your network to wherever it is needed.

Reliability

- Fanless, -40 to 75°C operation
- Outdoor IP68-rated housing
- · Power redundancy via dual DC inputs
- Level 3 EMS protection

Availability

- · Concurrent 2.4/5 GHz bands for interference free operation
- Turbo Roaming enables handovers in under 100 ms for seamless connectivity
- RSTP for Ethernet redundancy

Performance

- IEEE 802.11a/b/g/n compliant
- · AP/Bridge/Client all-in-one solutions for flexible deployment options
- Data rates up to 300 Mbps
- Long distance wireless transmission up

moxa.com/WLAN eBus

An ITS Story from the U.S.

Video Transmission for Bus Surveillance System

In order to provide stable transmission of surveillance videos from a fleet of buses entering a bus depot, a rugged design was required for both on-vehicle clients and outdoor APs to ensure robust operations.

Solution & Benefits

The AWK series clients and APs use IEEE 802.11n and MIMO (multiple-input and multiple-output) technologies to achieve HD event video transmission.



moxa.com/WLAN_mining


A Mining Story from Australia

Streaming Video for Mobile Monitoring

A mining company needed to install wireless devices atop a fleet of driverless mining trucks to provide reliable video transmission. All operations must withstand vibration and corrosive contaminants in underground tunnels.

Solution & Benefits

The AWK series is built to resist intense vibration on moving vehicles and is also encased in an ADC12 anti-corrosion aluminum housing to protect against contaminants.



· Concurrent transmissions over dual 2.4 and 5 GHz radio

AWK-3000/4000 Series

- 100-millisecond Turbo Roaming™ Versatile connector options
- Built-in DI/DO for real-time event alarms and notifications













AWK-5000/6000 Series Zero

channels for rugged redundancy




002		00=111	w b/g/II	002	. 1 1 W D/ 9	002.114/3/9/11	
AWK-3121	AWK-4121	AWK-3131	AWK-4131	AWK-5222	AWK-6222	AWK-5232	AWK-6232
1	1	1	1	2	2	2	2
1	1	1	1	2	2	2	2
RJ45, SC, M12	Waterproof RJ45	RJ45, SFP, M12	SFP/M12	RJ45, M12	RJ45	RJ45, M12	M12
IP30	IP68	IP30	IP68	IP30	IP68	IP30	IP68
-25 to 60°C or -40 to 75°C	-40 to 75°C	-25 to 60°C or -40 to 75°C	-40 to 75°C	-25 to 60°C or -40 to 75°C	-40 to 75°C	-25 to 60°C or -40 to 75°C	-40 to 75°C
EN 501	21-1/4,	UL 60950-1, EN 50155, EN 50121-1/4		UL 60950-1, EN 50155, EN 50121-1/4	UL 60950-1, EN 50155, EN 50121-1/4, UL/cUL CI D2, ATEX Zone 2	UL 60950-1, EN 50155, EN 50121-1/4	
	AWK-3121 1 1 RJ45, SC, M12 IP30 -25 to 60°C or -40 to 75°C UL 60950-1 EN 501	1 1 1 RJ45, Waterproof RJ45 SC, M12 RJ45 IP30 IP68 -25 to 60°C or -40 to 75°C	AWK-3121 AWK-4121 AWK-3131 1 1 1 1 1 1 1 RJ45, Waterproof SC, M12 IP30 IP68 IP30 -25 to 60°C -25 to 60°C or -40 to 75°C -25 to 60°C UL 60950-1, EN 50155, UL 60 EN 50121-1/4, EN 50	AWK-3121 AWK-4121 AWK-3131 AWK-4131 1 1 1 1	AWK-3121 AWK-4121 AWK-3131 AWK-4131 AWK-5222 1 1 1 1 2 1 1 1 1 2 RJ45, SC, M26, M12 Waterproof RJ45, SFP, M12 SFP/M12 RJ45, M12 IP30 IP68 IP30 IP68 IP30 -25 to 60°C or -40 to 75°C UL 60950-1, EN 50155, EN 50155, EN 50155, EN 50155, EN 50155, UL 60950-1, EN 50155, EN 50155, EN 50155, EN 50155, EN 5	AWK-3121 AWK-4121 AWK-3131 AWK-4131 AWK-5222 AWK-6222 1 1 1 1 2 2 1 1 1 1 2 2 RJ45, SC, M12 RJ45, SFP, M12 RJ45, M12 RJ45, M12 RJ45 IP30 IP68 IP30 IP68 IP30 IP68 -25 to 60°C or -40 to 75°C -25 to 60°C or -40 to 75°C -25 to 60°C or -40 to 75°C -40 to 75°C -40 to 75°C UL 60950-1, EN 50155, EN 50121-1/4, EN 50121-1/4, EN 50155, EN 50121-1/4, EN 50121-1	AWK-3121 AWK-4121 AWK-3131 AWK-4131 AWK-5222 AWK-6222 AWK-6222 AWK-5232 1 1 1 1 2 2 2 2 RJ45, SC, M25, SC, M12 RJ45, SFP, M12 RJ45, M12 RJ45 RJ45, M12 RJ45, M12

Zero Packet Loss for Mission-Critical Mobility

Unlike commercial-grade dual-radio appliances, Moxa's Dual Radio APs actively duplicate wireless packets and concurrently send the duplicated signals on two distinct channels to ensure interference-free communication.


- Duplicate redundant packets for concurrent 2.4/5 GHz
- · Zero Packet Loss in connectivity
- · Supports RSTP Ethernet redundancy



Redundant Turbo Roaming for Highly Mobile Connectivity

Moxa's Dual Radio products can perform dual-radio roaming with fast and stable handoffs. This unique combination of technologies creates secure wireless links that excel in highly mobile or latency-sensitive applications.

- Client-based Turbo Roaming for 100 ms handover
- Controller-based Turbo Roaming for 50 ms handover
- · Redundant roaming for wireless stability



AWK-3121

Throughput considerations Radio interference Environments AWK-6232 IP68 Find the Right AWK-5232 **Choice for Your Wireless Needs** AWK-4131 IP68 AWK-3131 (802.11a/b/g/n preferred) AWK-6222 IP68 AWK-5222 AWK-4121 IP68

(802.11a/b/g/n applicable)

Mini and Mighty 802.11n Extends **Productivity Anywhere**

- Wireless AP/Client
- IEEE 802.11n Compliant
- One Gigabit Link
- Seamless Roaming
- Supports MAC Clone



AWK-1131A Series

• Up to 300 Mbps data rate

Point/Client

One Gigabit link

Industrial 802.11n Access

• IEEE 802.11a/b/g/n compliant

• Under 100 ms seamless roaming

• Supports MAC clone for Ethernet client


802.11n Smart Productivity

The AWK-1131A benefits automation networks that require fast, flexible, and reliable wired and wireless convergence.

The palm-size AWK-1131A delivers 802.11n and high-speed Gigabit performance with seamless roaming under 100 ms, and dual power inputs to ensure constant and robust connections. The AWK-1131A can operate on either the 2.4 or 5 GHz bands and is backwards-compatible with existing 802.11a/b/g deployments to future-proof your wireless investments.

MAC Clone for Smart Factory Automation

The AWK-1131A can clone the MAC address of a connected Ethernet device and easily connect the device to a wireless LAN. The MAC clone feature is particularly important for automation networks where PLCs won't allow connection from unregistered MAC addresses.



Seamless Connectivity

The AWK-1131A provides Client-based Turbo Roaming with a fast handover under 100 ms to ensure seamless connections. Moxa's Turbo Roaming increases roaming speed and minimizes channel hopping time while roaming.



Industrial-Grade Reliability

The AWK-1131A is compliant with stringent industrial standards and approvals. In addition to extended operating temperature and power input voltage, the AWK-1131A offers surge, ESD, and vibration protection. The small, light, yet rugged wireless device offers a cost and space saving solution for any industrial application.



Wireless AP/Client







Model	AWK-1121	AWK-1127	AWK-1131A		
Standards	802.1	1a/b/g	802.11a/b/g/n		
Functions	Clic	AP and Client			
No. of RFs	1	1			
LAN Ports	1 x 100Base	1 x 1000BaseT(X) (RJ45)			
Serial Ports	_	1	-		
Operating Temperature	0 to 60°C or	0 to 60°C			
PoE	IEEE 802.3af PoE	-			
Approvals		UL 60950-1			

Industrial 2G/3G Reliability and Versatility

- Universal Multiband Support
- Ethernet/Serial/Cellular Communication
- GuaranLink for Constant Connectivity
- Private IP and Central Management
- Robust Design for High Reliability



Expandable and Reliable 2G/3G Mobility

Mobile cellular technologies are increasingly necessary to enhance industrial productivity. Moxa's OnCell G3100 devices provide a series of compact and rugged IP gateways to connect your Ethernet and serial devices over a 2G/3G TCP/IP network. OnCell devices utilize GuaranLink technology to ensure reliable and consistent cellular connectivity, and provide high level EMS resistance to ensure longer product life time in harsh environments. On Cell products support VPN and private IP management software for easy and secure mobile management.

3G HSPA Performance ((HSPA)

Moxa utilizes HSPA technology to boost data rates up to 14.4 Mbps for downloads, and 5.76 Mbps for uploads, for real-time transmission.

In the example below, the OnCell G3110-HSPA IP gateway delivers live video from a police dash cam, allowing law enforcement officers to respond and monitor emergencies in real time.



GuaranLink Connectivity

Moxa's GuaranLink™ will constantly check wireless connections to maintain cellular strength and availability to alert users in the event of any link failure.

Compact IP gateways

- Five-band UMTS/HSPA 850/800, 900. 1900, 2100 MHz
- Quad-band GSM/GPRS/EDGE 850/900/1800/1900 MHz
- Ethernet, serial, and cellular communication
- · Industrial-grade reliability
- GuaranLink for constant connectivity
- OnCell Central Manager for easy private IP communication

OnCell Central Manager

The OnCell-HSPA series includes OnCell Central Manager™ software that allows easy private IP communication, and enables remote access and management to alleviate device deployment, administration, and troubleshooting.





2G/3G Cellular **Solutions**



















Model	OnCell G3110- HSPA	OnCell G3150- HSPA	OnCell G3110	OnCell G3150	OnCell G3111- HSPA	OnCell G3151- HSPA	OnCell G3111	OnCell G3151
3G	UMTS	/HSPA	_		UMTS/HSPA		_	
2G	GSM/GPI	RS/EDGE	GSM/GPRS/EDGE		GSM/GPRS/EDGE		GSM	GPRS
10/100M	1 x RJ45		1 x RJ45		1 x RJ45		1 x RJ45	
SIM	1 x	3V	1 x 3V		1 x 3V		1 x 3V	
Serial	1 x RS-232	1 x RS-232/422/485	1 x RS-232	1 x RS-232/422/485	1 x RS-232	1 x RS-232/422/485	1 x RS-232	1 x RS-232/422/485
VPN		Ye	es		-			
1/0	1 DO, 2 DI				-			
Power		Dual 12	-48 VDC		Single 12-48 VDC			
Operating Temperature		-30 to 55°C o	r -30 to 70°C			-30 to	55°C	



Performance • Efficiency • Flexibility


Moxa's industrial Ethernet solutions can optimize PLC network performance, efficiency, and flexibility. Our industrial Ethernet switches and gateways are interoperable with industrial protocols such as EtherNet/IP, PROFINET, and Modbus TCP/IP. Every device is ruggedized to excel in mission-critical applications for production and process automation, such as water & wastewater, oil & gas, food & beverage, and chemical automation, and can be integrated into any large-scale distributed SCADA monitoring system.

Solution Benefits

Moxa's industrial Ethernet switches offer industryleading redundancy, fast booting capability, full status parameters, and versatile network topologies to ensure high network reliability, availability, manageability, and flexibility of industrial control systems. Moxa's industrial Ethernet gateways are easy to configure, allowing quick integration of legacy field devices and the control network. Also, user-friendly tools and utilities enable operators to quickly diagnose and troubleshoot I/O communications for simple maintenance.









Best-in-class performance ensures high network capability

Advanced efficiency simplifies configuration and monitoring

Maximum flexibility converges multiple applications

Industrial Ethernet Switches

Gateways

- < 10 s fast booting</p>
- < 20 ms Ethernet</p>
- Industrial Ethernet master connections (Modbus Gateways)
- · Automatic technologies for • Up to 16 Modbus TCP
 - quick installation Éasy-to-use web-based GUI

· Plug-n-play solutions

· Full status parameters

- Relay output warning
- · A selection of over 200 protocolenabled edge-to-core switches
- Topology flexibility
- · Flexible solutions for integration with various industrial protocols

Easy Network Management

Monitor Network Status in SCADA Systems

- Supports PROFINET GSD and EtherNet/IP EDS/AOI files
- Full parameters for comprehensive device status information
- FactoryTalk® View faceplate and Step 7 device icons available








Enable Automated Fieldbus Configuration

- AutoScan enables one-click configuration to detect PROFBUS devices
 AutoCalibration ensures one-click detection of response timeout settings of Modbus connection
- Protocol Analyzer makes monitoring and communication

status analysi	s easy			
Models	MGate 5101-PBM-MN	MGate 5102-PBM-PN	MGate 5105-MB-EIP	MGate MB3170
AutoScan	✓	✓	-	-
AutoCalibration	-	-	-	✓
Protocol Analyzer	✓	-	✓	✓




Food & Beverage Control System

- Network Requirements
 An Ethernet-based control system to allow centralized SCADA/HMI control and monitoring of remote networks, including PLCs and fieldbus devices
- · Resilient redundancy and high performance
- · Efficient and cost-effective system configuration and manageability

Why Moxa?

- One-stop shop for PI-certified solutions
- Turbo Ring/Turbo Chain redundancy technologies (< 20 ms recovery time) to ensure high network availability
- SCADA/HMI object support and web-based management platform for easy network management
- -40 to 75°C operating temperature range



Your Trusted Source for Industrial Automation Needs

Industrial Ethernet Switches

- · Fast 10-second booting time for high system availability
- Turbo Ring, Turbo Chain (recovery time < 20 ms @ 250 switches) for network redundancy
- · Intelligent network management: EtherNet/IP, PROFINET, Modbus/TCP, IEEE 1588 PTPv2, LLDP, SNMP snooping,
- Fiber optic, twisted pair, PoE, and M12 connections available
- -40 to 75°C wide temperature operation (T models)

EDS-405A/408A Series

• IP30/54, 24 VDC, and hazardous location certifications

Industrial Ethernet Gateways

- AutoScan, AutoCalibration, and Protocol Analyzer smart technologies for quick configuration and easy maintenance
- High performance with up to 16 master device connections and 31 slave device connections (Modbus models)
- · Web-based MGate manager platform with event log for easy monitoring and troubleshooting
- · Relay output warning for quick event response
- -40 to 75°C wide temperature operation (T models)
- · Redundant power inputs for non-stop operation





Modbus TCP gateways



MGate 5102-PBM-PN -port PROFIBUS-to-

ROFINET gateways





1-port Modbus-to-



MGate MB3170 Series 1-port Modbus RTU/ASCII-to-Modbus TCP gateways



EDS-608/611/616/619 Series

8, 8+3G, 16, 16+3G-port compact modular managed Ethernet switches

EDS-405A/408A-EIP Series Plug-n-Pla

EDS-405A/408A-PN Series Plug-n-Pl

5 and 8-port managed Ethernet switches

Rugged Serial-to-Ethernet Connectivity • Multiple Surge Protections • 2 kV Isolation for Serial Signals C1D2 and ATEX certified

Extend Ethernet over Existing Copper Wires

- Up to 100 Mbps Transmission Speed
- Zero Configuration
- Visualized Device Panel Display in Web UI
- LED Indicators for Connection Strength

Extreme Reliability

The NPort IA5000A device servers deliver easy and reliable serial-to-Ethernet connectivity for the industrial automation market and offer enhanced surge protection for serial, LAN, and power lines. The IA5000A device servers support 2 kV isolation for serial signals, and C1D2 and ATEX certified quality. All features are designed to ensure extremely reliable serial-to-Ethernet connectivity for oil and gas, power automation, and other harsh environment applications.

Unbeatable 3-in-1 Protection

The NPort IA series offers in-line surge protection for LAN, serial, and power lines to protect electrical devices from voltage spikes and damp out electrical noise.



Easy 3-click Deployment

A wizard guides users through 3 simple steps to activate the serial-to-Ethernet application in an average of just 30



NPort® IA5000A Series Industrial-grade serial-to-Ethernet device servers

- Complete surge immunity 2 kV isolation
- C1D2 and ATEX certified
- Cost-effective cascading links
- Redundant DC power inputs
- · Warning by relay output and email Wide-temperature from -40 to 75°C

Lower Cost of Networking

The NPort IA series offers dual Ethernet ports that enable a switch function and cascading connections for lower cost networking.



Lower-Cost and Faster Deployment

As an alternative to expensive fiber cables for long distance communication, Moxa's IEX-402 DSL Ethernet extender is a costeffective solution that leverages existing copper wire infrastructures for fast and efficient network deployment.

The IEX-402 allows plug-and-play deployment and point-to-point Ethernet extension over copper wires up to 8 km or up to 15.3 Mbps speed using G.SHDSL standards, and up to 3 km or up to 100 Mbps speed using VDSL2 standards.

Zero Configuration

The IEX-402 works in pairs and has an automatic CO/CPE negotiation function that enables plug-and-play, zero configuration deployment.



Default device DIP switch setting

Easy Management

IEX-402-VDSL2

1 x 10/100M

The IEX-402 offers a full range of connection strength LED indicators for simple troubleshooting. Thanks to the visualized panel display, users can remotely access and manage connection status anywhere via web browser or

Rugged Reliability

The DIN-rail mount, wide operating temperature range (-40 to 75°C), and dual power inputs make the IEX-402 ideal for use in industrial applications.

















NPort® S8455/S8458 Series

- Combo switch / serial device servers
- Built-in managed Ethernet switch
- Ring redundancy < 20 ms
 Turbo Ring and Turbo Chain, RSTP/STP, and MSTP supported
- Level 4 ESD immunity
- · Surge protection for serial, power, and Ethernet Multiple fiber ports for long distance transmission





CoIntrol Center

Device Floor

				LI LI	L .	L			
Model	NPort IA5150A	NPort IA5150AI	NPort IA5250A	NPort IA5250AI	NPort IA5450A	NPort IA5450AI			
10/100M Ports	2 x RJ45	2 x RJ45	2 x RJ45	2 x RJ45	2 x RJ45	2 x RJ45			
Serial	1 x DB9, 1 x terminal block	1 x DB9	2 x DB9	2 x DB9	4 x DB9	4 x DB9			
Isolation Protection	_	2 kV	_	2 kV	_	2 kV			
Surge Protection		Power: Level 3; Ethernet: Level 2; Serial: Level 2							
Input Voltage		12 to 48 VDC							
Operating Temperature	0 to 60°C , or -40 to 75°C								
Approvals		UL 508, LVD (EN60950-1), A	ATEX Zone 2 / C1D2, CE (EN5	55022 Class A, EN55024), FC	C Part 15 Subpart B Class A				

A Factory Automation Story from Taiwan

Emission Treatment and Monitoring

In response to government laws and regulations, a leading manufacturer needed to deploy emission treatment and monitoring systems across 15 plant sites. The IEX-402 enabled DSL connection over existing twisted-pair wires, accelerating network deployment and saving considerable costs.

Solution & Benefits

- Supports 500-meter (max.) point-to-point transmission over existing RS-485/telephone wires
- · Easy installation with auto CO/CPE negotiation
- · Simple troubleshooting via panel LED indicators

Long-Distance Copper Solution

IEX-402 Series

Managed DSL Ethernet Extenders

- · G.SHDSL and VDSL2 standards
- Easy management via web UIs and connection strength LEDs

0 to 60°C or -40 to 75°C

CE/FCC, UL 508, EN 50121-4 NEMA TS2 (IEX-402-VDSL2 only)

IEX-402-SHDSL

1 x 10/100M

Rugged reliability

-		-
	1	

Robust Fiber Integration **IMC-101G/101 Series**

GE/FE to Fiber Media Converter

- Link Fault Pass-through
 Alarms for power/link failure
- Redundant power inputs
 -40 to 75°C operating temperature

Model	IMC-101G	IMC-101			
RJ45	1 x 10/100/1000M	1 x 10/100M			
Fiber	1 x 1000BaseFX	1 x 100BaseFX			
Operating Temperature	0 to 60°C or -40 to 75°C				
Approvals	UL 508, LVD ATEX Zone 2 / C1				

Operating Temperature



Ease and Reliability for Your Success

Moxa offers robust data acquisition solutions for critical applications involving harsh temperature conditions, explosive atmosphere, severe shock, vibration and other environmental challenges. Our wide selection facilitates the most reliable and flexible I/O combinations. In addition, our value-added automation software enables active SCADA communication, automatic data integration, as well as simple yet powerful control logic. The robust and easy to deploy I/O solutions help customers achieve durable and collaborative operations for smart connectivity and productivity.

Faster SCADA Responses

Moxa's Active OPC Server is extremely efficient at "pushing" event-triggered data to your SCADA system or IT database. Instead of polling and waiting, Moxa's remote I/O products use Active OPC Server to deliver event-driven updates to SCADA systems for faster system response than other OPC servers.



Click&Go™ Control Logic

The simple yet powerful Click&GoTM control logic enables intelligent local control through IF-THEN-ELSE rule-sets that allow Moxa's I/O and RTU products to identify user-defined events and send triggered and time-stamped exception messages through SMS, TCP, and email.



Proven Industrial Reliability

Moxa's approaches to robust data acquisition solutions include high MTBF components selection, strict environmental testing, extra I/O protection, and industrial standard verification to ensure stable operations in harsh environments.



Keep Your Surveillance Awake in Extreme Conditions

Don't let extreme weather conditions put your security off. The VPort 56-2MP is the world's first 1080P Full HD extreme weather IP camera that delivers crystal clear video images in extreme temperatures ranging from -40 to 75°C with no fan or heater required for any outdoor surveillance applications.

Full HD Quality

The 1080P Full HD IP camera offers 10x optical 16x digital zoom capability and true day and night visibility. The camera uses 3D DNR, BLC, Sense-up, ICR, and image stabilizer technologies to overcome poor lighting conditions. PTZ capability and fiber transmission are available with add-on options.



Extreme Reliability

The VPort 56-2MP-T* can operate in temperatures ranging from -40 to 75°C without a fan or heater. With a robust IP66/68 and Class 1, Division 2 compliant housing, the camera provides exceptional durability for railway, public security, oil and gas, and extreme outdoor applications.

* Availabile in Q3, 2014.



* Class 1, Div. 2 certification pending; available soon.

DynaStream for bandwidth optimization Optional fiber port

Easy VMS and SCADA integration

Rugged 1080P day-and-night H.264 Zoom IP cameras

• -40 to 75°C operating temperature

• DNR/ICR/BLC for image optimization

• H.264 and MJPEG triple streams up to 30fps

• 10x optical and 16x digital zoom

1920 x 1080 Full HD quality

Easy Deployment

The VPort 56-2MP supports VMS surveillance platforms such as SoftNVR, Milestones and Genetec. VPort SDK PLUS helps users add video streams into third-party NVR, VMS SCADA systems. The IP camera also supports OnVIF and PoE/PoE+ for cost-effective installation and global interoperability.





Industrial Ethernet I/O Solutions





ioLogik E1200 Series

Ethernet Remote I/O

- Supports Active OPC Server
 2-port Ethernet switch for da
- 2-port Ethernet switch for daisychain topologies
- Save time and wiring cost with peer-to-peer links



ioLogik E2200 Series

Ethernet Micro RTU Controller

- Supports Active OPC Server
 Smort event handling
- Smart event handlingSupports SNMPv1/v2c/v3



ioPAC 5500 Series

Compact RTU Controller

- DI/DO/AI, dual-Ethernet, dualserial, and HSPA all in one device.
- serial, and HSPA all in one devi
 Supports millisecond-scale
- Supports C/C++ & IEC 61131-3



ioPAC 8500 Series

Modular RTU Controller

- Anti-vibration and hot swappable
- Supports millisecond-scale timestamps
- Supports C/C++ & IEC 61131-3

Extreme Weather Series IP Cameras













	VPort 56-2MP	VPort 36-1MP	VPort 26A-1MP	VPort P16-1MP-M12	VPort P06-1MP-M12
Resolution	1920 x 1080	1280 x 800	1280 x 720	1280 x 800	1280 x 800
10/100M port	1 x RJ45 or 1 x Fiber	1 x RJ45	1 x RJ45 or 1 x M12	1 x M12	1 x M12
PoE	PoE/PoE+	PoE	PoE	PoE	PoE
Audio	✓	-	✓	-	✓
Power input	2, 12/24 VDC, 24 VAC	2, 12/24 VDC, 24 VAC	12/24 VDC or 24 VAC	12/24 VDC	-
Operating Temperature	0 to 60°C, -40 to 50°C, or -40 to 75°C			-25 to 55°C or -40 to 70°C	-25 to 55°C

21



Your Trusted Partner in Automation

Moxa is a leading manufacturer of industrial networking, computing, and automation solutions. With over 25 years of industry experience, Moxa has connected more than 30 million devices worldwide and has a distribution and service network that reaches customers in more than 70 countries. Moxa delivers lasting business value by empowering industry with reliable networks and sincere service for automation systems.

Moxa Sales and Marketing **Headquarters**

Moxa Corporate Plaza 601 Valencia Ave., Suite 200 Brea. CA 92823. U.S.A. Toll Free: 1-888-669-2872 Tel: +1-714-528-6777 Fax: +1-714-528-6778 usa@moxa.com

Moxa Design and Engineering Headquarters

Fl. 4, No. 135, Lane 235, Baoqiao Rd. Xindian Dist., New Taipei City, Taiwan, R.O.C. Tel: +886-2-8919-1230

Fax: +886-2-8919-1231 info@moxa.com

The Americas

Moxa Americas

Toll Free: 1-888-MOXA-USA Tel: +1-714-528-6777 Fax: +1-714-528-6778 usa@moxa.com

Moxa Brazil

Tel: +55-11-2495-3555 Fax: +55-11-2495-6555 brazil@moxa.com

Europe

Moxa Germany

Tel: +49-89-3700-399-0 Fax: +49-89-3700-399-99 europe@moxa.com

Moxa France

Tel: +33-1-30-85-41-80 Fax: +33-1-30-47-35-91 france@moxa.com

Moxa UK

Tel: +44-1844-355-601 Fax: +44-1844-353-553 uk@moxa.com

Asia-Pacific

Moxa Taiwan

Tel: +886-2-8919-1230 Fax: +886-2-8919-1231 asia@moxa.com

Moxa India

Tel: +91-80-4172-9088 Fax: +91-80-4132-1045 india@moxa.com

Moxa Russia

Tel: +7(495)287-09-29 Fax: +7(495)269-09-29 russia@moxa.com

China

Moxa Shanghai

Tel: +86-21-5258-9955 Fax: +86-21-5258-5505 china@mova.com

Moxa Beijing

Tel: +86-10-6872-3959/61 Fax: +86-10-6872-3958 china@moxa.com

Moxa Shenzhen


Tel: +86-755-8368-4084/94 Fax: +86-755-8368-4148 china@moxa.com

One Toolbox for All Tasks



Industrial Network Management Suite

- Easy configuration
- · Smart visualized monitoring
- · Easy backup management
- Quick diagnostics



Enhance Security without Raising Costs

EDR-810 Series

Secure Router/Switch Combo

- 8 FE + 2 GbE ports
- Firewall, NAT, VPN, and switch functions all in one device
- 10 VPN connections
- Modbus TCP deep packet inspection
- · Cost-saving with multiple functions

