

SONY CAR CRADLE STEP BY STEP INSTALLATION GUIDE


- A) Install Palm Desktop for CLIE
- B) Install Data Export
- C) Check that the Hotsync and Data import/export work
- D) Install Navman SmartSt Palm Desktop software
- E) Install SmartSt Professional onto your handheld
- F) Activate the Software
- G) Install the maps
- H) Install the Car Cradle Software
- I) Find a destination and save it as a favourite
- J) Putting the CLIE into the Car Cradle
- K) Select your destination
- L) Installing Service Pack 1 for Navman SmartST Pro
- M) Support Contact Details




A) Install Palm Desktop for CLIE

Allows synchronising data between your handheld and your computer. Please uninstall any previous versions of Palm Desktop or any other handheld syncing software from your computer before installing Palm Desktop for CLIE.

- 1) Before installing the software please place the Clié on charge and insert the memory stick.
- 2) Insert the Software disc for your CLIE handheld (green colour)
- 3) Click **CLIE Basic** or **Next**



4) Click **Install** to the right of Palm Desktop for CLIE



5) Click **Next**



6) Select **Complete Setup** and Click **Next**



7) Click on **Create New User**

If you are simply reinstalling Palm Desktop for your CLIE handheld, you can select your old username. Do not select a user name that you use with another handheld even if you no longer use that handheld!




8) Enter your User Name and click **Next**


Please use a simple user name and avoid special characters.



9) Click **Install**




10) Uncheck **Register your CLIE handheld**. Click **Finish**.




B) Install Data Export

Allows you to access the MemoryStick inside your CLIE from your computer


- 1) On the CLIE Installation screen (see above), click on **CLIE Utilities**
- 2) Click on **Install** to the right of Data Export



3) Click on **Next** to start the installation




4) Click on **Finish** to exit the wizard




5) Click on **OK** to install the CLIE SCSI driver



6) Click **Next** to start the installation



7) Select, **Yes I want to restart my computer now.** Click **Finish**



C) Check that the Hotsync and Data import/export work


- 1) Connect the Plug adapter to the CLIE handheld
- 2) Connect the USB cable from the plug adapter to a free USB port directly on your computer (do not use a hub).

If you own a PEG-NX73V you need to place the CLIE on it's cradle and connect the USB cable between the cradle and your computer

- 3) On your handheld, tap the house icon on the bottom left-hand computer to get to the main screen.

On the TH55, you may also need to tap the applications tab on the bottom right hand corner.

- 4) Tap the **hotsync** icon
- 5) Make sure that local is in blue and that cradle/cable is selected. Tap the **Hotsync** logo.



- 6) The Hotsync process will start and you will see the following window on your computer :




- 7) Once the hotsync operation has finished, tap the house icon on the handheld again

If this is the 1st hotsync it may take several minutes

- 8) Tap **data import** on the handheld. The memorystick drive will be installed on your computer and you will see connected to PC on the handheld screen
- 9) On your computer, click **Start** and then **My computer**
- 10) Check that you have a removable drive.
- 11) Tap **Disconnect** on the handheld.
- 12) Click **OK** to confirm

D) Install Navman SmartSt Palm Desktop software


- 1) Insert the Navman Installation CD (silver disc)
- 2) Click **Next**




3) Accept the terms of the licence agreement and click **Next**



4) Click **Install**




5) Click **Finish**




E) Install SmartSt Professional onto your handheld

This is the GPS navigation software

- 1) Double-click the **SmartST Pro for Palm OS5 Desktop i1.1** icon on your desktop
- 2) Once the flash animation is finished, click on **SmartST Application** under Step 1



3) Click **Install Application**



4) Select User and then click **Done**




- 5) Click **OK** and perform a hotsync operation on your handheld




F) Activate the Software

- 1) On the Install SmartST Application screen, click **Activate Software**
If you use a dialup connection, connect to the internet
- 2) Click **Next**
If you're connecting from work you may need to enter the details of your company's proxy server. Please check this with your network administrator.




3) Agree to the terms and Conditions and click **Next**



4) Click **Next**.

Your CLiE handheld is connected to your computer if it says connected to PC on the handheld screen. If not, tap the house icon and then tap the Data import icon




5) Enter your contact details and click **Next**


6) Enter your Product Keys.

There are located on a yellow sticker on the front of the quick start guide for SmartST Pro for PALM OS 5. In the first line you should enter a key such as LEU-xxx-xxxxx-xxxxx and in the second line a key such as MEU-xxx-xxxxx-xxxxx. Please note that the 0's are zero digits.

7) Click **Next** to download the license key.



8) Click **Finish**



G) Install the maps

1) Insert the a map CD.

UK Maps are located on the first CD


2) Click **Main Menu** to return to the Main Menu

3) Make sure that the handheld is still connected to the PC and Click on **Install Maps** under Step 2

If you cannot open the map installer, please try activating the software again (see above)

4) After the files have been copied, click an area on the map of Europe and then click **add to card**. The map will be copied to the memorystick.

*If you are not sure which map(s) to copy, click **Find City**, enter the name of the city and then double-click it. Concentric circles will indicate on which map the city is located.*




If you have problems copying the maps to the memorystick, please try activating the software again.


H) Install the Car Cradle Software

This will start the car launcher interface and enable the GPS function when putting the CLIE in the car cradle.


- 1) Insert the Car cradle software CD (green disc)
- 2) Click **Install**




3) Click **Next**



4) Select Basic Application and click **Next**




5) Click **Next**



6) Select your user name and click **OK**




7) Click **Done**



8) Click **OK** and perform a Hotsync operation



9) Click **Finish**



10) Click **Finish** to exit the car cradle application setup

11) On the CLIE handheld tap the house icon

12) Tap the **Car Installer** icon

13) Tap **Reset** to reset the CLIE handheld

I) Find a destination and save it as a favourite

For safety reasons, the destination search function is disabled while the handheld is in the cradle. You will need to set up a destination before putting the CLIE into the car cradle.

- 1) Tap the house icon on the handheld
- 2) Tap the **SmartST icon**

If you get a general error while loading the software, please make sure that at least one map is loaded onto the MemoryStick (see above).

- 3) Tap **I agree**
- 4) Tap the screen to go to the next page of the tutorial
- 5) In the main menu, tap **Destination**
- 6) Tap **Address**
- 7) Select the Country
- 8) Enter the 3-4 first letters of the Area or City and select the correct area or city from the dropdown list
- 9) Enter the 3-4 first letters of the Road and select the correct Road from the dropdown list
- 10) Enter the house number if applicable

In case you cannot find an address, check on a map that it exists and that the spelling is correct. If the address contains a proper name, try entering the first name as well. Make sure that you have the correct maps loaded using the find city tool (see above). Try finding the street name by leaving the area field blank.

If you get several areas with the same name, try in each in turn till you find the one that contains your street name.

Please note that there is no option to search on postcodes.

- 11) Tap the plus sign to add to favourites
- 12) Tap the check mark to confirm
- 13) Tap the left arrow twice to return to the main menu

You can also save the favourite as a “Quick Nav” for easier access while in the cradle. In the favourites screen, select the address you wish to save as a “Quick Nav” and tap the pencil icon. From the save as dropdown menu select “Quick Nav” 1, 2 or 3. Tap the floppy icon to the left of the question mark to save.

J) Putting the CLIE into the Car Cradle

- 1) Put the CLIE into the car cradle.

Make sure that the power connector is connected to the cigarette lighter and that the engine of your car is running. Make sure that the CLIE is properly seated in the car cradle. The power led on the cradle should turn green.

- 2) You will get a warning message. Read it and tap the screen.

If you do not get the warning message please make sure that you have icon called car settings on your CLIE. If not reinstall the car cradle application again. If you have an icon called car installed, tap it to install the car cradle application to the CLIE.

- 3) You will then get the car launcher interface (big icons on a blue background).

- 4) Tap the GPS meter to check whether you get a GPS signal

Make sure that the car is outside and that there are no obstructions such as tall trees or buildings so that the GPS antenna has a clear line of sight to the sky. If possible place the GSP antenna on the roof of the car. The first time you use the system it can take several minutes before it will detect a GPS signal.

- 5) Tap the house icon to return to the main screen

K) Select your destination

- 1) Tap The SmartST icon
- 2) Once you are on the main menu, tap destination
- 3) Tap favourites
- 4) Select your destination
- 5) Tap the curving arrow to navigate to the selected destination.

If the software is slow to respond, please try resetting your handheld by pressing the tip of the stylus into the reset hold near the connector for the adapter plug/cradle. This will not erase any data. Also make sure that you do not load too many maps at the same time. Click on setup and then choose maps from the menu in the top right hand corner. Uncheck as many maps as possible and only leave those that you currently use. If the screen does not refresh fast enough when using the map, into the setup screen go to display and check Fast panning.


L) Installing Service Pack 1 for Navman SmartST Pro

The Service Pack solves GPS port closed error message on the NX73V and also bring minor improvements to the software in general. It is recommended to install it.


- 1) Go to <http://www.navman-europe.com/downloads.php?id=AA005430>
- 2) Click on **Download Now** on the right hand side of the screen
- 3) Click **Open**




- 4) Click **Next**



5) Select **Navman SSP Palm Desktop** from the dropdown menu



6) Insert the Navman Installation CD and click **Next**



7) Enter the product key starting with LEU.

The screenshot shows the Navman website interface. A central dialog box titled "Navman Software Update Program" is displayed. It contains the text: "Please enter the Product registration key that came with the CD that is in your drive." Below this, a text field contains the key "LEU-0000-000000-000000". The dialog box has "Back", "Next >", and "Cancel" buttons. In the background, the website shows the "GPS 4-160 (NEW) Wireless for Palm OS" product page with a list of update features and a "Pro for Palm" download link.

8) Install available updates to your handheld

The screenshot shows a window titled "Available Product Updates for Navman SSP_PALM". A message states: "There are no Updates currently available for your Navman SSP_PALM." Below this, there is a section titled "Status of NAVMAN INST CD on your PC." with the following table:

Program	Current Update	Update Available
CD Version	NAVMAN INST CD	
Installed Language	UK	
SmartST	0	No
Desktop Director	0	No
Application installer	0	No
Map Downloader	0	No
User Manual	0	No
Quick Start Guide	0	No
Registration Application	0	No

M) Support Contact Details

Phone Number: 0870 8500986

Fax Number: 0870 2402409

Email: sonycarcradle@clie-link.com

Website: www.clie-link.com

