Specifications

Model name

PCG-GRZ515G

Model number	PCG-8G1M
Operating system	Microsoft [®] Windows [®] XP Home Edition
Processor	Intel [®] Pentium [®] 4 processor 2.40 GHz*
Hard disk drive	30 GB
Standard RAM	256 MB DDR SDRAM
Maximum RAM	512 MB
LCD screen	15.0'' XGA (1024x768) TFT screen
L2 cache memory	512 KB (on die)
MPEG	MPEG 2 digital video supports full-screen playback
Graphics	ATI MOBILITY™ RADEON™ 7500 16 MB with 3D performance
Sound capabilities	16-bit CD-quality stereo sound

1

PCG-GRZ515G

2

CD-ROM drive	CD-RW/DVD-ROM drive (internal and removable):
DVD-ROM drive	up to 24x max. CD-ROM reading speed
CD-RW drive	up to 16x max. CD-R writing speed
	up to 10x max. CD-RW writing speed
	up to 8x max. DVD-ROM reading speed
	Laser diode properties:
	Wave length: DVD 654 nm / CD 784 nm
	Laser output: DVD 3.352 μW / CD 151.5 μW
Internal modem	Built-in V.90/K56Flex (56kbps) (V.92 Ready) data/fax modem
Telecommunication capabilities	Ethernet network, PSTN data connectivity
Expansion capabilities	1 x PC Card type III
, ,	2 x PC Card type II
	2 x PC Card type I
	and CardBus support
Built-in capabilities	Stereo speakers, touchpad, Jog Dial™, MagicGate Memory Stick™ slot
Special buttons	Jog Dial™
Connection capabilities on notebook	Port replicator, phone line, i.LINK™ (IEEE1394) S400, 3 x USB, Ethernet network (LAN), monitor (VGA), parallel port, external speakers or headphones, microphone connector, TV-out, AV mini jack (for computer out and line out), 1 x PC Card type III, 2 x PC Card type II, 2 x PC Card type I, DC In (AC adapter)

Specifications

S

Model name	PCG-GRZ515G
Connection capabilities on port replicator (optional)	DC In, monitor (VGA), 2 x USB, PS/2 mouse/keyboard, Ethernet network (LAN), printer port, parallel port, serial port, AV mini jack (for computer-out and line-out), line-in, port replicator, S-Video
Supplied accessories	Rechargeable battery, AC adapter, AC power cord, phone cable, phone plug, weight saver
Power source	19.5V DC/AC 100-240V
Power management	ENERGY STAR [®] compliant ACPI (Advanced Configuration & Power Interface)
Battery	Lithium ion
Dimensions Width Height Depth	327 mm 41.6 - 43.6 mm 271.6 mm
Weight With 1 battery and weight saver	3.1 kg
Weight With 1 battery and optical disc drive	3.4 kg
Operating temperature	+5°C to +35°C (temperature gradient less than 10°C/hour)
Storage temperature	-20°C to +60°C (temperature gradient less than 10°C/hour)
Operating humidity	20% to 80% (not condensed), provided that humidity is less than 65% at +35°C (hygrometer reading of less than 29°C)

3

Model name

PCG-GRZ515G

Storage humidity	10% to 90% (not condensed), provided that humidity is less than 20% at +60°C
	(hygrometer reading of less than 35°C)

Specifications are subject to change without notice.

* CPU speed will be reduced under certain operating conditions. Performance in battery mode is reduced by half to preserve maximum battery life.