

MICROSOFT TRAINING AND CERTIFICATION

Administering Microsoft® Windows NT® 4.0

Lab Manual - Student

Course Number: 803B



Information in this document is subject to change without notice. The names of companies, products, people, characters, and/or data mentioned herein are fictitious and are in no way intended to represent any real individual, company, product, or event, unless otherwise noted. Complying with all applicable copyright laws is the responsibility of the user. No part of this document may be reproduced or transmitted in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Microsoft Corporation. If, however, your only means of access is electronic, permission to print one copy is hereby granted.

Microsoft may have patents, patent applications, trademarks, copyrights, or other intellectual property rights covering subject matter in this document. Except as expressly provided in any written license agreement from Microsoft, the furnishing of this document does not give you any license to these patents, trademarks, copyrights, or other intellectual property.

© 1997, 1999 Microsoft Corporation. All rights reserved.

Microsoft, MS-DOS, MS, Windows, Windows NT are either registered trademarks or trademarks of Microsoft Corporation in the U.S.A. and/or other countries.

The names of companies, products, people, characters, and/or data mentioned herein are fictitious and are in no way intended to represent any real individual, company, product, or event, unless otherwise noted.

Other product and company names mentioned herein may be the trademarks of their respective owners.

Course Number: 803B Part Number: X03-80310

Released: 02/99

Contents

Lab 1: Planning and Creating User Accounts	
Objectives	1
Exercise 1 Planning New User Accounts	2
Exercise 2 Creating User Accounts	4
Exercise 3 Testing the New User Accounts	7
Summary	8
Lab 2: Configuring User Profiles	
Objectives	
Before You Begin	9
Exercise 1 Defining a Local User Profile	. 10
Exercise 2 Defining a Roaming User Profile	. 12
Summary	. 14
Lab 3: Planning and Creating Local and Global Groups	
Objectives	
Before You Begin	. 15
Exercise 1 Planning Groups in a Multiple-Domain Network	
Exercise 2 Creating Global Groups and Adding Members	
Exercise 3 Creating Local Groups and Adding Members	
Exercise 4 Adding Accounts from a Different Domain	. 20
Exercise 5 Testing Local and Global Group Relationships	
Summary	22
Lab 4: Implementing Built-in Groups	
Objectives	23
Exercise 1 Determining Built-in Group Membership on a	2.4
Domain Controller	
Exercise 2 Determining the Rights of Built-in Groups	
Exercise 3 Implementing Built-in Groups for Local Administration	
Exercise 4 Implementing Built-in Groups for Centralized Administration	
Summary	32
Lab 5: Managing Accounts	22
Objectives	
Before You Begin	33
Exercise 1 Assigning Account Operator Privileges to Users	34
Exercise 2 Creating User Account Templates	
Exercise 3 Using a Template to Create a User Account	
Exercise 4 Planning an Account Policy	
Exercise 5 Setting the Account Policy	
Exercise 6 Testing the Account Policy	
Exercise 7 Unlocking a Locked Account	
Exercise 8 Resetting a User Account Password	43
If Time Permits Creating Shortcuts to User Manager for Domains	
Summary	44

Lab 6: Managing Domain Controllers	
Objectives	45
Before You Begin	45
Exercise 1 Promoting a BDC to a PDC When the PDC Is Online	46
Exercise 2 Promoting a BDC to a PDC When the PDC Is Offline	49
Exercise 3 Restoring a PDC	50
Exercise 4 Synchronizing Domain Controllers	51
Exercise 5 Troubleshooting User Logon Problems	53
Summary	55
Lab 7: Planning Shared Folders	
Objectives	57
Before You Begin	57
Exercise 1 Planning Shared Folders	58
Summary	59
Lab 8: Sharing Folders	
Objectives	
Exercise 1 Sharing Folders	62
Exercise 2 Assigning Shared Folder Permissions	63
Exercise 3 Connecting to a Shared Folder	65
Exercise 4 Testing the Shared Folder Permissions	67
Exercise 5 Stopping a Shared Folder	
If Time Permits Creating Hidden Shared Folders	69
Summary	70
Lab 9: Planning and Assigning NTFS Permissions	
Objectives	71
Before You Begin	
Exercise 1 Planning NTFS Folder and File Permissions	
Exercise 2 Assigning NTFS Permissions to a Public Folder	
Exercise 3 Assigning NTFS Permissions and Sharing Folders	
Exercise 4 Testing Permissions	
Summary	82
Lab 10: Managing Permissions	
Objectives	
Exercise 1 Taking Ownership of a File	
Exercise 2 Copying and Moving Folders	
Exercise 3 Identifying Incorrect Permissions	
Exercise 4 Deleting a File with No Access Permissions	
Exercise 5 Changing Group Membership	
Summary	94
Lab 11: Setting Up a Network Printer	
Objectives	
Exercise 1 Adding and Sharing a Printer	
Exercise 2 Connecting to a Shared Printer	98
Exercise 4 Assigning Printer Permissions.	100
Evergise A Testing Permissions	101

Exercise 5 Creating a Printer Pool	. 103
Exercise 6 Scheduling Documents to Print	
Exercise 7 Assigning Forms to Paper Trays	
Exercise 8 Setting Up Separator Pages	
Summary	
Lab 12: Managing Documents and Printers	
Objectives	. 109
Before You Begin	. 109
Exercise 1 Managing Documents	
Exercise 2 Managing Printers	. 112
Summary	. 114
Lab 13: Auditing Resources and Events	
Objectives	. 115
Before You Begin	
Exercise 1 Planning a Domain Audit Policy	. 116
Exercise 2 Setting Up an Audit Policy	. 117
Exercise 3 Auditing Files and Directories	. 118
Exercise 4 Auditing a Printer	. 119
Exercise 5 Creating Security Log Entries	. 120
Exercise 6 Viewing the Security Log	. 121
Exercise 7 Filtering and Searching Events	
Exercise 8 Controlling the Security Log	. 124
Exercise 9 Archiving the Security Log	. 125
Exercise 10 Clearing the Security Log	. 126
Exercise 11 Viewing an Archived Security Log	. 127
Summary	. 128
Lab 14: Monitoring Network Resources	
Objectives	. 129
Exercise 1 Adding a User to the Server Operators Group	. 130
Exercise 2 Viewing Open Files and User Sessions and Connections	. 131
Exercise 3 Viewing Server Resource Usage	133
Exercise 4 Disconnecting a User	134
If Time Permits 1 Creating a Shared Folder on a Remote Server	136
If Time Permits 2 Using Windows NT Diagnostics to View	
Configuration Information	
Summary	138
Lab 15: Backing Up Data to Tape	
Objectives	
Exercise 1 Planning a Backup Schedule	
Exercise 2 Adding a User to the Backup Operators Group	
Exercise 3 Backing Up Files to Tape	
Exercise 4 Writing a Batch File to Back Up Data	
Exercise 5 Scheduling the Backup	
If Time Permits Using the Command Scheduler	
Summary	150

Lab 16: Restoring Data from Tape	
Objectives	1
Before You Begin	1
Exercise 1 Implementing a Restore Strategy	2
Exercise 2 Creating and Adding a User to the Restore Operators Group 154	4
Exercise 2 Restoring a File from Tape	5
Summary	7
Planning Worksheets	
Lab Answers	

Lab 1: Planning and Creating User Accounts

Objectives

After completing this lab, you will be able to:

- Plan how to implement new user accounts.
- Create user accounts.
- Create home folders for user accounts.
- Set logon hours restrictions.
- Set workstation restrictions.
- Set account restrictions.

Estimated time to complete this lab: 30 minutes

Exercise 1 Planning New User Accounts

In this exercise, you will work with a partner to plan how to implement user accounts for the employees of World Wide Importers. You and your partner will decide the names of the employees and record them on the *User and Group Accounts Planning Worksheet*. It is important that you complete this exercise, because the user accounts you create will be used throughout this course.

Scenario

As the Microsoft® Windows NT® administrator for World Wide Importers, you need to set up the user accounts for their Quebec office. You need to determine:

- A naming convention that will easily accommodate employees with duplicate or similar names, and temporary contract personnel.
- Who determines the password for an account.
- User logon hours and computer use.
- Whether home folders will be located on the local computer or a server.

Use the following criteria to make your decisions:

- World Wide Importers hires approximately 300 new employees a year.
 Approximately 20 of those employees are hired on a one-year contract basis. All employees require a user account.
- The vice president's name is Susan Young, and the customer service representative who works the night shift is also named Susan Young.
- Passwords for permanent employees should be known only to the employee.
- For security reasons, passwords for contract employees should be controlled by the administrator.
- Each employee requires a secure home folder. All home folders need to be backed up each night.
- The day shift works from 8 A.M. to 5 P.M. The night shift works from 6 P.M. to 6 A.M.
- Employees who work the night shift should only be able to access the network from 6 P.M. to 6 A.M. All other permanent employees require access to the network 24 hours a day, 7 days a week.
- Temporary contract employees should be able to log on to only their assigned computers and only from 8 A.M. to 5 P.M. Their computer names are \Temp1 and \Temp2.

To complete the *User And Group Accounts Planning Worksheet*, you and your partner need to:

- 1. Provide each user's full name, except where specified in the scenario. The Description column in the *User And Group Accounts Planning Worksheet* identifies the job title for each employee.
- 2. Determine each user name based on your naming convention.
- 3. Enter the password requirements, home folder location, logon hours, and workstation restrictions based on the criteria in the scenario.

Exercise 2 Creating User Accounts

In this exercise, you will work with your partner to create the user accounts from your *User and Group Accounts Planning Worksheet*.

This exercise is structured so that you first create all the accounts and then modify the properties of each account. If you have multiple accounts that require the same properties you can use the **Copy** command on the **User** menu to create a user account from an existing account.

Important The user accounts that you create must be unique to your domain's directory database. Because you and your partner are working in the same domain, you need to divide the accounts between you. One person should create the first half of the user accounts on the BDC, and the other person should create the second half of the user accounts on the PDC. Otherwise, only one of you can do the exercise.

► To create a new user account

- 1. Log on to your domain (Domain*x*, where *x* is the number assigned to your domain) as Administrator.
- 2. Click **Start**, point to **Programs**, point to **Administrative Tools**, and then click **User Manager for Domains**.
- 3. On the User menu, click New User.
 - The New User dialog box appears.
- 4. Configure the following options based on the information from the *User and Group Accounts Planning Worksheet*.
 - Username
 - Full Name
 - Description
 - Password (Use the word password. Passwords are case-sensitive.)
 - Confirm Password
- 5. Select the appropriate password options, and then click Add.

The **New User** dialog box reappears and is cleared so that you can add another user.

- 6. Create the remaining user accounts.
- 7. When have created all the accounts on your *User and Group Account Planning Worksheet*, close the **New User** dialog box to return to the User Manager window.

► To create a home folder

Note Complete this procedure for each user account.

- 1. In the User Manager window, double-click a user account.
- 2. In the User Properties dialog box, click Profile.
- 3. In the **Connect** box, click **Z**: so that drive **Z** will be used to connect to the user's home folder.
- 4. In the **To** box, type \\studentx\users\% username% (where studentx is the name of the PDC for your domain).

Note In the classroom setup, the \Users folder was created and shared on an NTFS volume on the PDC. In an actual working situation, you would also need to create and share a folder on an NTFS volume for this procedure to work.

- 5. Click **OK** to return to the **User Properties** dialog box.
- 6. Click **OK** to return to the User Manager window.

Tip To assign home folders to multiple accounts at one time using the %Username% variable, in the User Manager window, select all accounts by pressing the CTRL key while you click each account. Then, on the **User** menu, click **Properties** to open the **User Properties** dialog box.

► To set logon hours restrictions

Note Complete this procedure for each user who requires logon restrictions.

- 1. In the User Properties dialog box, click Hours.
 - Notice that the default is to allow the user to log on to the network 24 hours a day, 7 days a week.
- 2. To restrict a user's logon hours, select the appropriate block of time, and then click **Disallow**.

For more information about using the **Logon Hours** box, click **Help**.

3. Click OK.

▶ To set workstation restrictions

Note Complete this procedure for each user who should log on to *only* their assigned computers.

- In the User Properties dialog box, click Logon To.
 Notice that the default is to allow a user to log on to all computers.
- 2. Click User May Log On To These Workstations.
- 3. In box 1, type the name of your computer (**student***x*, where *x* is your student number).
- 4. Click OK.

► To set the account restriction

Note Complete this procedure for each user whose account needs to expire.

- In the User Properties dialog box, click Account.
 Notice that the default option for Account Expires is Never. The default Account Type is Global Account.
- 2. Click **End of**, and then type the appropriate date.
- 3. Click OK.

► To grant dialin permission

Note From the PDC, grant the dialin permission for the Accounting Manager. From the BDC, grant the dialin permission for the Vice President.

- 1. In the User Properties dialog box, click Dialin.
- 2. Click Grant dialin permission to user.
- 3. Click OK.
- 4. Click Add.

Exercise 3 Testing the New User Accounts

	To determine that home folders were created
No	te Complete this procedure from the PDC.
1.	Start Windows NT Explorer and expand drive D.
2.	Expand the D:\Winnt\Users folder.
3.	Compare the folders in D:\Winnt\Users with the list of user names on y User and Group Accounts Planning Worksheet.
	Are there any differences?
	NO.
4.	Compare the folders D:\Winnt\Users with the list of user account name
	User Manager for Domains on the BDC.
	User Manager for Domains on the BDC. What are there any differences?
•	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions
No	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers.
No 1.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative.
No 1.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student.
No 1.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive.
No 1.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive. Were you able to successfully log on? Why or why not?
No 1.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive.
No 1. 2.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive. Were you able to successfully log on? Why or why not?
No 1. 2.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive. Were you able to successfully log on? Why or why not? YES. Sales rep. have the access right to log on.
No 1. 2.	What are there any differences? Administrator & Guest has no folders To test logon hours restrictions te Complete this procedure from both computers. Attempt to log on as a sales representative. When prompted, change the password to student. Remember, passwords are case sensitive. Were you able to successfully log on? Why or why not? YES. Sales rep. have the access right to log on. Attempt to log on as a customer service (night shift) employee.

▶ To test workstation restrictions

Note Complete this procedure using the temporary employee account that was created by your partner.

- 1. Log on to your computer as the temporary employee created by your partner.
- 2. When prompted, change the password to **student**.

Were you able to log on? Why or why not?

No has workstation restriction can logen one machine only!

Summary

This objective Was accomplished by	
Plan how to implement user accounts.	Determining the naming convention, password requirements, logon hours, and workstation restrictions for employees of World Wide Importers.
Create user accounts.	Specifying the user name, password, and password options for employees of World Wide Importers.
Create home folders for user accounts.	Creating a home folder on the PDC of your domain for each account.
Set logon hours restrictions.	Specifying the hours during which a user can log on.
Set workstation restrictions.	Specifying the names of the computers from which a user can log on.
Set account restrictions.	Specifying when an account expires.

Lab 2: Configuring User Profiles

Objectives

After completing this lab, you will be able to:

- Define and test a local user profile.
- Define and test a roaming user profile.

Before You Begin

Prerequisite

This lab assumes that you have completed the *Planning and Creating User Accounts* lab.

Estimated time to complete this lab: 30 minutes

Exercise 1 Defining a Local User Profile

In this exercise, you will work with your partner to create a user account that will be used for a profile template, and then define and test a local user profile.

► To create a user account for a profile template

Note Complete this procedure from the PDC only.

- 1. Use User Manager for Domains to create a user account named Profile User.
- 2. Log on as Profile User.
- 3. Log off Windows NT.

► To use Control Panel to determine existing profiles

Note Complete the following procedure from both computers.

- 1. Log on as Administrator.
- 2. Click **Start**, point to **Settings**, click **Control Panel**, and then double-click **System**.

The System Properties dialog box appears.

3. Click User Profiles.

Which users' profiles are stored on your computer? DOMAIN! \Administrator - logar as adm.

A LIST OF PROFILES THAT HAD LEGET YOUR TRACHINE. DOTTAIN! \ProfileBer. \ Logar as Profile User.

4. Click **OK** to close the **Systems Properties** dialog box, and then close Control Panel.

To define and test a local profile

Note Complete this procedure from the BDC.

- 1. When the previous procedure is complete, log on as the user account that you created for the sales manager.
- 2. When prompted, change your password to student.
- 3. Right-click anywhere on the desktop, and then on the shortcut menu, click **Properties**.

The **Display Properties** dialog box appears.

4. Click Appearance.

Notice the current color scheme.

5. In the Color Schemes box, select a different color scheme, and then click **OK**.

The change will take effect immediately.

6. Log off and log on as the same user.

Were screen colors saved? Why or why not?

(Es, it is saved in sales manager's user profile.

▶ To compare two local profiles

Note Complete this procedure from the PDC.

1. When the previous procedure is complete, log on as the user account you created for the sales manager.

Notice that the screen colors are different than when you logged on as the sales manager from the BDC.

2. Right-click anywhere on the desktop, and on the shortcut menu, click **Properties**.

The Display Properties dialog box appears.

3. Click Appearance.

Notice the current color scheme.

Why is the color scheme different for the sales manager when you view it from the PDC? $_{17}$ $_{15}$ NOT A ROATING PROFILE .

IT IS A LOCAL PROFILE ENGROY WHICH ONLY AFFECT THE TACHINE
IT WAS CREATED

4. Exit all applications and log off Windows NT.

Exercise 2 Defining a Roaming User Profile

In this exercise, you will work with your partner to define a roaming profile by assigning a centralized path to it, and then you will test it by using the profile from multiple computers. Before you test it, you will manually synchronize the PDC's and BDC's directory databases so that both computers will recognize the new profile path immediately.

To assign a roaming profile path

Note Complete this procedure from the BDC.

- 1. Log on as Administrator and start User Manager for Domains.
- 2. Double-click the account you created for the sales manager.
- 3. In the User Properties dialog box, click Profile.
- 4. In the **User Profile Path** box, type \\studentx\profiles\sales_manager (where **student**x is the name of the PDC for your domain and sales_manager is the user name you assigned to the sales manager).
- 5. Click **OK** twice to apply your changes.

► To synchronize accounts on the BDC and PDC

Note Complete this procedure from the BDC.

- In Administrative Tools, click Server Manager.
 The Server Manager window appears.
- 2. Under Computer, verify that the PDC in your domain is selected.
- 3. On the Computer menu, click Synchronize Entire Domain.

You receive the following message:

Resyncing the *Domainx* domain may take a few minutes. Do you want to make the change?

Click Yes.

You receive the following message:

The Primary Domain Controller has asked all backup domain controllers to start resynchronizing their user accounts databases. Check the Event Log on the backup domain controllers and on the Primary Domain Controller to determine whether synchronization was successful.

- 5. Click OK.
- 6. Exit Server Manager.

► To copy a profile template to the shared profile path

In this procedure, you will use the Profile User account (which uses a default profile) to reset the profile for the sales manager.

Note Complete this procedure from the PDC.

- 1. Log on as Administrator and in Control Panel, double-click System.
- 2. Click the User Profiles tab.
- 3. Under **Profiles stored on this computer**, select the user account Profile User.
- 4. Click Copy To.
- 5. In the **Copy profile to** box, type \\studentx\profiles\sales_manager (where studentx is the name of the PDC in your domain and sales_manager is the user name you assigned to the sales manager).
- 6. Under Permitted to Use, click Change.

The Choose User dialog box appears.

- Under Names, click Everyone, and then click Add.
 The Everyone group appears in the Add Name box.
- 8. Click **OK** to return to the **Copy to** dialog box.
- 9. Click **OK** to return to the **System Properties** dialog box.
- 10. Click **OK** to return to Control Panel.
- 11. Exit all applications and log off Windows NT.

To test the roaming profile

Note Complete this procedure from the PDC.

- 1. Log on using the account you created for the sales manager.
 - Notice that the screen colors are different than when you logged on as the same user on the BDC. The sales manager's profile has been overwritten with the Profile User's settings.
- Right-click anywhere on the desktop, and then on the shortcut menu, click Properties.

The **Display Properties** dialog box appears.

3. Click **Appearance**.

Notice the current color scheme.

- 4. In the **Color Schemes** box, select a different color scheme than was used on the BDC.
- Click Background, change your wallpaper, and then click OK. The changes will take effect immediately.
- 6. Exit all applications and log off Windows NT.

► To verify that the roaming profile is assigned to the sales manager

Note Complete this procedure from the PDC.

- 1. Log on as Administrator, and start Control Panel.
- 2. Double-click **System**, and then click **User Profiles**. What type of profile is listed for the sales manager?
- 3. Exit all applications and log off Windows NT.

► To test the roaming profile from another computer

Note Complete this procedure from the BDC.

- 1. Log on using the account you created for the sales manager.
- 2. If a dialog box appears which provides profile options, click **Download**.
 Are the screen colors and desktop the same or different from those set at the PDC? Why or why not?

SAME

3. Exit all applications and log off Windows NT.

Summary

This objective	Was accomplished by
Define and test a local user profile.	Creating a user account to be used as a profile template, logging on with the new account and specifying desktop properties, and then using the profile to verify that the specified desktop properties appear.
Define and test a roaming user profile.	Assigning a centralized path to a user profile, copying the profile template to the centralized path, and then using the profile from multiple computer to verify that it <i>roams</i> with the user.

Lab 3: Planning and Creating Local and Global Groups

Objectives

After completing this lab, you will be able to:

- Plan local and global groups.
- Create global groups and add accounts to them.
- Create local groups and add accounts to them.

Before You Begin

In this lab, you will work with a partner to plan and implement local and global groups for a multiple-domain network.

Prerequisites

This lab assumes that you have created user accounts as specified in the *Planning and Creating User Accounts* lab.

Estimated time to complete this lab: 45 minutes

Planning Groups in a Multiple-Domain Network

In this exercise, you will use the following diagram to plan how to implement local and global groups so that users from either domain have access to resources in multiple domains. Record your decisions on the *User and Group Accounts Planning Worksheet*.


You need to determine:

- The global groups for each domain.
- The local groups for each resource, and the computer and domain where they should be created.
- Which global groups to add to each local group to give members access to a resource.

Use the following criteria to make your decisions:

- All employees need access to *Applications* in their own domain.
- All employees need access to the *printer* in the Istanbul domain.
- Executives and managers from both domains need access to the *Human Resources (HR)* information in the Quebec domain.
- Executives, managers, and customer service and sales representatives from both domains need access to the *Customer Files* in the Quebec domain.
- Accountants from both domains need access to *Accounts Receivable (AR)* information in the Quebec domain.

 Managers from both domains need access to Employee Files in the Istanbul domain.



Creating Global Groups and Adding Members

In this exercise, you will create the global groups you planned for the Quebec domain only. The user accounts that you will add to the global groups are from your *User and Group Accounts Planning Worksheet*.

Important The groups that you planned must be unique to your domain's directory database. Because you and your partner are working in the same domain, you should divide the groups between you. One person can create half of the groups from the BDC and the other person can create the other half from the PDC. Otherwise, only one of you can do the exercise.

► To create a global group

- 1. Log on to your domain (Domain*x*, where *x* is the number assigned to your domain) as Administrator.
- 2. In Administrative Tools, start User Manager for Domains.
- On the User menu, click New Global Group.
 The New Global Group dialog box appears.
- 4. In the **Group Name** box, type a name for your global group (from your *User and Group Accounts Planning Worksheet*).
- 5. In the **Description** box, type a description for the global group, such as the type of users the group contains.

► To add members to a global group

 From the New Global Group dialog box, in the Not Members box, select one or more users (from your *User and Group Accounts Planning Worksheet*) by pressing the CTRL key, clicking each user, and then clicking Add.

Notice that each new member appears in the **Members** box.

2. Add the remaining user accounts (if any) to the same group, and then click **OK**.

Notice that the global group appears under **Groups** with a globe as part of the icon.

► To complete the exercise

 Create the remaining global groups and add members from your User and Group Accounts Planning Worksheet.

Creating Local Groups and Adding Members

In this exercise, you will create the local groups that you planned for the Quebec domain only. You will add to the local groups the global groups that you planned for the Quebec domain only.

Important The groups that you planned must be unique to your domain's directory database, so you and your partner should divide the groups between you. Otherwise, only one of you can do the exercise.

► To create a local group

- In the User Manager window, on the User menu, click New Local Group.
 The New Local Group dialog box appears.
- 2. In the **Group Name** box, type the name for a local group (from your *User and Group Accounts Planning Worksheet*).
- In the **Description** box, type a description of the local group.For example, the description could be the name of the resource to be accessed.

► To add members to a local group

- In the New Local Group dialog box, click Add.
 The Add Users and Groups dialog box appears.
- 2. Under **Names**, click one or more global groups (planned for the Quebec domain only), and then click **Add**.

Notice that the selected names appear in the **Add Names** box.

3. Click OK.

Notice that the new local group appears under **Groups** with a computer as part of the icon.

▶ To complete the exercise

• Create the remaining local groups and add members from your *User and Group Accounts Planning Worksheet*.

Adding Accounts from a Different Domain

In this exercise, you will add global groups from the Classroomx domain to a local group in your domain (Domainx, where x is the number assigned to your domain). The Classroomx domain (where x is the number assigned to the Classroom domain) will act as the Istanbul domain. Your domain will act as the Quebec domain.

Important Because you and your partner are working in the same domain, you should divide the groups between you. Otherwise, only one of you can do the exercise.

► To add a global group from a different domain to a local group

1. In the User Manager window, double-click the local group you created for the Accounts Receivable (AR) information.

The Local Group Properties dialog box appears.

2. Click Add.

The Add Users and Groups dialog box appears.

3. In the **List Names From** box, click **Classroom**x.

The user and group accounts for the Classroomx domain appear in the **Names** list.

Double-click the global group Accountants, and then click OK.
 The Accountants global group appears as a member of your local group.

5. Click **OK** to close the **Local Group Properties** dialog box.

► To complete the exercise

 Add the following global groups from the Classroomx domain to the local groups that you created in your domain.

Add these global groups To the local group you created for access to	
Executives and Managers	Human Resources (HR) information
Executives, Managers, Customer Service, and	Customer files
Sales	

Testing Local and Global Group Relationships

In this exercise, you will test four different group combinations to determine whether one group can be added as a member to another group.

 Using User Manager for Domains, try to add each group type listed in the first column to the group type listed in the second column. Write down the results for each combination.

Add this type of group	To this type of group	Result
Global	Global	NO, LOCAL OR GLOBAL GOOLF
Global	Local	YES
Local	Local	NO, NO LOCAL GROUP LISTED!
Local	Global	NO



Summary

This objective	Was accomplished by
Plan local and global groups.	Determining the global groups to create and their members, the local groups to create and their location, and which global groups to add to which local groups.
Create global groups and add accounts to them.	Using User Manger for Domains to create global groups planned for the local domain and then adding user accounts from the local domain and a different domain to them.
Create local groups and add accounts to them.	Using User Manger for Domains to create local groups planned for the local domain and then adding global groups from the Classroomx domain to them.

Lab 4: Implementing Built-in Groups

Objectives

After completing this lab, you will be able to:

- View built-in groups on domain controllers to determine the default members.
- Determine the inherent rights of built-in groups.
- Use the built-in Administrators and Domain Admins groups to administer user accounts in the domain.
- Use the built-in Administrators and Domain Admins groups to provide centralized administration of user accounts in a remote domain.

Estimated time to complete this lab: 30 minutes

Determining Built-in Group Membership on a Domain Controller

In this exercise, you will view each built-in local and global group on a Microsoft® Windows NT® Server domain controller to determine the default members.

► To determine membership of the global group Domain Admins

- 1. Log on as Administrator.
- 2. Start User Manager for Domains.
- 3. Under **Groups**, double-click the global group **Domain Admins**.

 By default, what built-in user accounts or groups are members of Domain Admins?

 ADMINISTRATOR (USER)
- 4. Click Cancel to return to the User Manager window.

► To determine membership of the local group Administrators

Under Groups, double-click the local group Administrators.
By default, what built-in user accounts or global groups are members of the Administrators group?
ADHINISTRATOR (USER)
DOMAIN ADMINIS (GLOBAL)

► To determine the default membership of other built-in global groups

■ Under **Groups**, double-click each of the global groups in the following table. Complete the table.

	This global group	Contains
GLOBAL S	Domain Users	EVERYONE EXCEPT GUEST
	Domain Guests	ONLY GUEST

- ► To determine the default membership of the built-in local group Guests
- Under Groups, double-click Guests.

What user accounts or groups are members of the Guests group?

- ► To determine the default membership of the built-in local group Users
- Under Groups, double-click Users.

What user accounts or groups are members of the Users group?

DOMAIN USERS (GLOBAL)

Determining the Rights of Built-in Groups

In this exercise, you will determine the inherent rights of the built-in local groups.

- ► To determine which groups have access to the computer
- In the User Manager window, on the Policies menu, click User Rights.

 The User Rights Policy dialog box appears. The listed right is Access this computer from network.

Which built-in groups have been granted this right?

ADMINISTRATORS EVERYONE

► To determine which groups can log on locally

■ In the **Right** box, click **Log on locally**.

Which built-in groups have been granted this right?

ACCOUNT OPERATORS
ADMINISTRATORS
BACKUP OPERATORS
EVERYONE
PRINT OPERATORS
SERVER OPERATORS

Note The group Everyone does not have the Log on locally right by default. This right was assigned to the group during classroom setup.

- ► To determine which groups can change the system time
- In the **Right** box, click **Change the system time**. Which built-in groups have been granted this right?

ADMINISTRATORS SERVER OPERATORS

- ► To determine which groups can shut down the system
- In the **Right** box, click **Shut down the system**.

 Which built-in groups have been granted this right?

A CCOUNT OPERATORS
A DITINISTRATORS
BACKUP OPERATORS
PRINT OPERATORS
SERVER OPERATORS

To	determine which groups can back up files and di	rectories	
In t	he Right box, click Back up files and directories.	ADMINIST	
Wh	nich built-in groups have been granted this right?	SERVER	
То	determine which groups can restore files and dir	ectories	
In t	he Right box, click Restore files and directories.	ADMINI	CRATORS OPERATOR
Wh	nich built-in groups have been granted this right?		OPERATO
	ant analy wight to datarming which area are automotive	cally assign	
	ect each right to determine which ones are automatic	e check how	
	Administrators group, and then click the appropriate	e check box	
		e check box	
	Administrators group, and then click the appropriate Access this computer from network	e check box	
	Administrators group, and then click the appropriate Access this computer from network Back up files and directories	e check box	
	Administrators group, and then click the appropriate Access this computer from network Back up files and directories Change the system time	e check box	
	Administrators group, and then click the appropriate Access this computer from network Back up files and directories Change the system time Force shutdown from a remote system	e check box	

☐ Restore files and directories

 \square Take ownership of files or other objects

☐ Shut down the system

Implementing Built-in Groups for Local Administration

In this exercise, you will work with your partner to add a user account to the local group Administrators and the global group Domain Admins, and then test the user account group membership. Before you can test the user account from both student computers, you will need to manually synchronize the directory databases.

Note Complete this exercise from the PDC only.

► To create and test a user account

- 1. Create a user account.
- 2. Log on as the new user.
- 3. Try to create another user account.

Were you successful? Why or why not?
NO, the new user is not in the local Administrater group

► To add a user to the local Administrators group

- 1. Log on as Administrator.
- Add the user you created in the previous procedure to the built-in Administrators group.

► To manually synchronize the directory databases on the BDC and PDC

From a command prompt, type net accounts /sync and then press ENTER.

To test the user account as a member of the Administrators group

- 1. Log on as the new user.
- 2. Try to create another user account.

Were you successful? Why or why not?

YES

► To add a user to the global group Domain Admins

- 1. Log on using the default Administrator account.
- 2. Remove the new user from the Administrators group.
- 3. Add the new user to the global group Domain Admins.

► To test the user account as a member of the Domain Admins group

- 1. Log on as the new user.
- 2. Try to create another user account.

Were you successful? Why or why not?

YES

Implementing Built-in Groups for Centralized Administration

In this exercise, you will add the Domain Admins group from the Classroom *x* domain (where *x* is the number assigned to the Classroom domain) to the Administrators group in Domain (where *x* is the number assigned to your domain) so that both domains can be administered centrally.

► To test administration of another domain

Note Complete this procedure from the BDC.

- 1. Log on to the Classroomx domain as Administrator.
- 2. Start User Manager for Domains.
- On the User menu, click Select Domain.
 The Select Domain dialog box appears.
- 4. In the **Domain** box, click **domain**x.
- 5. Try to create a user account.

Were you successful? Why or why not?

NO, because Clossroom x / Administrator is not a member of the local Administrator group.

► To add the Classroomx\Domain Admins group to the local Administrators group

Note Complete this procedure from the BDC.

Relogonas Administrator First!

■ When the previous procedure is complete, add the Domain Admins group in the Classroomx domain (Classroomx\Domain Admins) to the local Administrators group.

► To test administration of another domain

Note Complete this procedure from the PDC.

- 1. When the previous procedure is complete, log on to the Classroomx domain as Administrator.
- 2. Start User Manager for Domains.
- On the User menu, click Select Domain.
 The Select Domain dialog box appears.

- 4. In the **Domain** box, type **domain** and then click **OK**.
- 5. Try again to create a user account.

Were you successful? Why or why not?

What could you do to enable all administrators to perform administration tasks throughout a domain or in a multiple domain environment?

Summary

This objective... Was accomplished by...

View built-in groups on domain controllers to determine the default members.

Determine the inherent rights of built-in groups.

Use the built-in Administrators and Domain Admins groups to administer user accounts in the domain.

Use the built-in Administrators and Domain Admins groups to provide centralized administration of user accounts in a remote domain.

Using User Manager for Domains to view built-in groups on a domain controller.

Selecting individual user rights in the **User Rights Policy** dialog box to see a list of the built-in groups that have those rights.

Adding a user account to the local Administrators group and global group Domain Admins and testing them by creating a user account.

Adding Classroomx\Domain Users to the Administrators group in Domainx and testing it by creating a user account.

Lab 5: Managing Accounts

Objectives

After completing this lab, you will be able to:

- Assign Account Operator privileges to users.
- Create user account templates.
- Use a template to create user accounts.
- Plan an account policy.
- Set an account policy.
- Unlock a user account.
- Reset a user account password.

Before You Begin

Prerequisites

This lab assumes that you have completed the *Planning and Creating Local and Global Groups* lab.

Estimated time to complete this lab: 30 minutes

Exercise 1

Assigning Account Operator Privileges to Users

In this exercise, you will add a user to the Account Operators group, and then determine the inherent rights assigned to that group.

► To give Account Operator privileges to a user account

- 1. Log on as Administrator and start User Manager for Domains.
- 2. Create a user account by typing a name in the **Username** box and leaving the remaining properties blank.
- 3. Close the New User dialog box.
- 4. In the Username list, double-click the account that you just created.
- In the User Properties dialog box, click Groups.
 The Group Memberships dialog box appears.
- 6. In the **Not member of** list, click **Account Operators**, and then click **Add**. Notice that **Account Operators** appears in the **Member of** list.
- 7. Click **OK** to close the **Group Memberships** dialog box.
- 8. Click **OK** to close the **User Properties** dialog box, but do not exit User Manager for Domains.

► To manually synchronize domain accounts

1. From a command prompt, type **net accounts /sync** and press ENTER to make the account available throughout the domain immediately.

► To determine the inherent rights that are assigned to Account Operators

- 1. In the User Manager window, on the **Policies** menu, click **User Rights**.
- 2. In the **Right** box, select each right one at a time to determine which of the following rights are automatically assigned to the Account Operators group, and then click the appropriate check boxes.

	T I
	Access this computer from network
	Add workstations to domain
	Back up files and directories
	Change the system time
	Force shutdown from a remote system
	Load and unload device drivers
\square	Log on locally
	Manage auditing and security log
	Restore files and directories
	Shut down the system
	Take ownership of files or other objects

3. Click Cancel.

Exercise 2 Creating User Account Templates

In this exercise, you will create two user account templates, one for new managers and the other for new night shift employees.

Note This exercise can be done from both computers as long as the names you assign to your templates are unique.

► To define the user account template for new managers

- 1. Log on as the user that you added to the Account Operators group and start User Manager for Domains.
- 2. When prompted, change the password to student
- 3. In the User Manager window, on the User menu, click New User.
- 4. Provide the following information:
 - **Username**: *name* **Template***x* (where *x* is your unique student number)
 - **Description**: (the description that you want to appear for each user account that is created using the template)

Tip Add any valid non-alphabetic character (such as the underscore [_]) as the first character of all template account names to make them appear at the top of the **Username** list.

► To define the password requirements for new managers

- 1. In the New User dialog box, make sure that the User Must Change Password At Next Logon check box is selected.
- 2. Select the Account Disabled check box.

► To define the template home directory path

- 1. In the **New User** dialog box, click **Profile**.
- 2. Under **Home Directory**, click **Connect**, and then click **Z**.
- 3. In the **To** box, type \\studentx\users\% username % (where studentx is the name of the PDC in your domain), and then click **OK**.

► To define the group accounts for new managers

- Add the managers template to the following groups:
 - The global group you created for Managers.
 - The global group you created for all Quebec domain users (if you decided to use Domain Users, the template account is a member by default).

N.B. fred2 in Account Operators group which has right to "log on locally" fred2 can create New User but can NOT change "User Rights Policy"

► To define the template for new night shift employees

- 1. Create a template for the new night shift employees, using the same properties as the managers template (except for groups).
- 2. Add the night shift employees template to the following groups:
 - The global group you created for customer service employees.
 - The global group you created for all Quebec domain users (if you decided to use Domain Users, the template account is a member by default).
- 3. Restrict the logon hours for night shift employees to 6:00 P.M. through 6:00 A.M., Monday through Friday.

Exercise 3 Using a Template to Create a User Account

In this exercise, you will use templates to create new user accounts. Then you will compare the options in the new account to the template to determine which options were copied.

To create a user account using a template

- 1. In the User Manager window, under **Username**, select one of your templates.
- 2. On the User menu, click Copy.
- 3. Type a **Username**, **Full Name**, and **Password** for the user, and then click **Add**.
- 4. Repeat this procedure using the other template you created.

▶ To determine which account options were copied

•	usin with	the User Manager window, double-click the user account that you created ag the night shift employees template. Compare the following options in the template account. Select the appropriate boxes for the options that e copied.
		Username
		Full Name
		Description

- □ Password and Confirm Password□ User Must Change Password at Next Logon
- ☐ User Cannot Change Password
- □ Password Never Expires
- ☐ Account Disabled
- ✓ Profile
- Groups
- **☑** Hours

Exercise 4 Planning an Account Policy


In this exercise, you will work with your partner to plan an account policy for the Quebec domain. You need to determine:

- Password restrictions
- Account lockout requirements

Use the following criteria to make your decisions:

- Users should be required to change their passwords once a month.
- Users should not be able to reuse a password for at least 6 months.
- Every effort should be made to prevent unauthorized users from breaking into the system.
- Employees with restricted logon hours should be disconnected from the network during off hours.

Record your decisions on the following graphic:



Exercise 5 Setting the Account Policy

In this exercise, you will work with your partner to create an account policy for your domain.

Note Because each domain can have only one account policy, create the account policy from either the PDC or the BDC.

► To set the account policy

- 1. Log on as Administrator.
- In the User Manager window, on the Policies menu, click Account.
 The Account Policy dialog box appears.
- 3. Set the following account policy for password restrictions and account lockout based on a medium level of security.

Password or account lockout restrictions	Medium security		
Maximum Password Age	Expires in 90 days		
Minimum Password Age	Allow changes in 30 days		
Minimum Password Length	8 characters		
Password Uniqueness	Remember 8 passwords		
Account Lockout	Yes		
Lockout After	3 bad logon attempts		
Reset Count After	30 minutes		
Lockout Duration	Forever (until administrator unlocks)		

4. Click **OK** to set the account policy.

Exercise 6 Testing the Account Policy

In this exercise, you will test the account policy that you established for your domain, including password restrictions and the account lockout option. Because you are checking the account policy you set up, some of the exercises will be based on specific settings in the account policy that you set.

► To test the password restriction portion of the account policy

- 1. Create a user account that requires the user to change the password at the next logon.
- 2. From a command prompt, type **net accounts /sync** to make the account available throughout the domain immediately.
- 3. Log on as the new user.

A message box appears, indicating that you are required to change your password at first logon.

- 4. Click OK.
- 5. In the New Password box, type apple
- 6. In the Confirm Password box, type apple and then click OK.

 Why couldn't you change your password? the password must be at least & characters long.
- 7. Click OK.
- 8. Log on again as the same user. This time, change the password to watermelon

► To test the account lockout portion of the account policy

1. Log off and try to log on again as the same user, but don't specify a password.

You should get an error message indicating that the system could not log you on.

- 2. Click OK.
- 3. Log off and log on two more times with no password.

4.	Now log on with the correct password.			
	Why couldn't you log on using the correct password?	account has logged out	been	ala
	How should the user solve the problem?	the admissiontra		rolling.

5. Click OK.

Exercise 7 Unlocking a Locked Account

In this exercise, you will unlock a locked account.

► To unlock a locked account

- 1. Log on as Administrator, and start User Manager for Domains.
- 2. In the **Username** list, double-click the locked account (from the previous exercise).
- 3. Clear the Account Locked Out check box.
- 4. Click OK.
- 5. Exit User Manager for Domains.

► To verify that the account is unlocked

1. Log on as the user whose account you unlocked.

Exercise 8

Resetting a User Account Password

In this exercise, you will reset a user account password by deleting the existing password and assigning a new one.

► To reset a user account password

- 1. Log on as Administrator.
- 2. Start User Manager for Domains.
- 3. Double-click the user you used in the previous exercise.

 The **User Properties** dialog box appears.
- 4. In the **Password** box, double-click the entry, and then press the DELETE key.
- 5. In the **Password** box, type a new password.
- 6. In the Confirm Password box, retype the password, and then click OK.
- 7. Exit User Manager for Domains.

If Time Permits...

Creating Shortcuts to User Manager for Domains

In this exercise, you will create two shortcuts to User Manager for Domains, one to the Classroomx domain (where x is the number assigned to the Classroom domain) and the other to your domain (Domainx, where x is the number assigned to your domain).

► To create a shortcut to the Classroomx domain

- 1. Right-click anywhere on your desktop.
- 2. On the User menu, click New, and then click Shortcut.
- 3. In the Command Line box, type Usrmgr classroomx and then click Next.
- 4. In the **Select a name for the shortcut** box, type **Classroom***x* and then click **Finish**.

The shortcut appears on your desktop.

► To create a shortcut to your domain

- 1. Right-click anywhere on your desktop.
- 2. On the User menu, click New, and then click Shortcut.
- 3. In the Command Line box, type Usrmgr and then click Next.
- 4. In the **Select a name for the shortcut** box, type your domain name, and then click **Finish**.

► To test the shortcuts

This shipsting

• Double-click each shortcut and view the user accounts in each domain.

Summary

This objective	Was accomplished by		
Assign Account Operator privileges to users.	Creating a user account and adding it to the Account Operators group.		
Create user account templates.	Creating two templates, one for all managers and the other for night shift employees.		
Use a template to create user accounts.	Creating new user accounts by copying template accounts.		
Plan an account policy.	Determining password restriction options and account lockout options for users in a domain.		
Set an account policy.	Setting password restrictions and the account lockout option for user accounts with policies.		
Unlock a user account.	Using User Manager for Domains to unlock an account.		
Reset a user account password.	Deleting the existing password for a user account and then assigning a new one.		

Lab 6: Managing Domain Controllers

Objectives

After completing this lab, you will be able to:


- Promote a BDC to a PDC when the PDC is online.
- Promote a BDC to a PDC when the PDC is offline.
- Restore a PDC.
- Synchronize domain controllers.
- Troubleshoot problems related to users logging on to the network.

Before You Begin

In this lab, you will work with a partner. Many of the procedures in the exercises will be done from only one of the computers. Work with your domain partner so that you both gain experience.

You will need to know the roles of your domain controllers. The roles of your domain controllers will change during this lab.

Your computers will be identified by their roles—primary domain controller (PDC) or backup domain controller (BDC).



Estimated time to complete this lab: 45 minutes

Exercise 1

Promoting a BDC to a PDC When the PDC Is Online

In this exercise, you will promote a BDC to the role of PDC based on the following scenario.

Scenario

Your PDC needs to be taken offline for some routine maintenance. You will use Server Manager to promote a BDC to a PDC and then demote the original PDC to a BDC. When this is accomplished, you can then take the original PDC offline for maintenance.

► To verify server roles and information

Note Complete this procedure from both computers.

- 1. Log on to your domain as Administrator.
- 2. In Administrative Tools, start Server Manager.
- 3. Complete the following table about the servers in your domain.

Computer	Туре
STUDENTI	WINDOWS NT 40 PRIMARY
STUDENT 2	WINDOWS NT 4.0 BACKUP

What appears differently about each computer type?

Does this information match the information that appears in Server Manager on the other computer in your domain? Why or why not?

YES

► To promote a BDC to a PDC

Note Complete this procedure from the BDC only.

- 1. In Server Manager, select the BDC.
- 2. On the Computer menu, click Promote to Primary Domain Controller.
- 3. When prompted for confirmation of the change, click Yes.

The Server Manager status box appears. Notice the actions that are occurring during the promotion.

When this procedure is finished, the original PDC automatically becomes a BDC.

► To refresh a Server Manager window

Note Complete this procedure from the new PDC only.

Press F5 to refresh the Server Manager window.

▶ To verify server information

Note Complete this procedure from both computers.

• Use Server Manager to complete the following table about the servers in your domain.

Type	
WINDOWS NT 4	io Backup
WIN DOWS NT 4	o Primary
	WINDOWS NT 4

Does this information match the information on the other domain controller in your domain? Why or why not?

1	ES				

How does this information compare to the information in the first procedure?

SWAPPED

► To return the BDC to PDC status

Note Complete this procedure from the PDC only.

- 1. In Server Manager, select the BDC (the original PDC).
- Promote the BDC to a primary domain controller.Notice that the PDC was automatically demoted to a BDC.

Important You must complete this procedure before you can do the next exercise.



Exercise 2

Promoting a BDC to a PDC When the PDC Is Offline

In this exercise, you will promote a BDC to the role of PDC based on the following scenario.

Scenario

Your primary domain controller is offline. The computer failed, and when you ran diagnostics on it, you discovered that some of the memory was corrupted. It will take a week before you can get the replacement memory chips, so you need to use Server Manager to promote a BDC to a PDC.

► To take the PDC offline

Note Complete this procedure from the PDC only.

- 1. Press CTRL+ALT+DELETE to open the Windows NT Security dialog box.
- 2. Click Shut down.
- 3. When prompted to shut down the computer, click **Shutdown**, and then click **OK**.
- 4. Turn off the computer when the shut down process is finished.

► To promote a BDC to a PDC

Note Complete this procedure from the BDC only.

- 1. In Server Manager, click the BDC.
- 2. On the Computer menu, click Promote to Primary Domain Controller.

The following message appears:

Promoting STUDENTx to Primary may take a few minutes. Do you want to make the change?

3. Click Yes.

The following message appears:


Cannot find the Primary for DOMAINx. Continuing with the promotion may result in errors when DOMAINx s old Primary comes back online. Do you want to continue with the promotion?

4. Click OK.

Exercise 3 Restoring a PDC

In this exercise, you will return the original PDC to its role of PDC by:

- Restarting the original PDC.
- Demoting the original PDC to a BDC.



► To restart a PDC

Note Complete this procedure from the original PDC only.

1. Start the original PDC and log on as Administrator.

A message appears, indicating that at least one service or driver failed. This is because the original PDC was unable to assume the role of PDC because there was already a PDC in the domain, causing the Netlogon service to fail.

2. Click OK.

► To switch roles by demoting the original PDC to a BDC

1. Start Server Manager.

Notice that both the original and the current PDCs are listed as primary domain controllers, but the icon for the original PDC is unavailable.

- 2. Select the original PDC.
- 3. On the Computer menu, click Demote to Backup Domain Controller.
- 4. When prompted, click Yes to make the change.
- 5. Select the original PDC (which is the current BDC).
- 6. On the Computer menu, click Promote to Primary Domain Controller.
- When prompted, click Yes to make the change.Notice the original BDC is demoted back to BDC.

Exercise 4 Synchronizing Domain Controllers

In this exercise, you will observe what may happen when a domain is not synchronized. You will then synchronize the domain controllers in your domain.

▶ To prepare to test synchronization

Note Complete this procedure from the BDC.

- Log off the BDC.
- To create a new user account

Note Complete this procedure from the PDC.

- Using User Manager for Domains, create a new user account.
 Do not require the user to change the password the next time the user logs on.
- 2. Proceed immediately to the next procedure.

► To verify that the domain is out of synchronization

Note Complete this procedure from the BDC.

Immediately log on as the new user.
 Were you successful? Why or why not?

► To synchronize the domain

Note Complete this procedure from the PDC. You should be logged on as Administrator.

- 1. In Server Manager, select the BDC.
- 2. On the Computer menu, click Synchronize with Primary Domain Controller.

A Server Manager message appears, indicating that the synchronization might take a few minutes, and asks you to confirm the change.

3. When prompted, click **Yes** to make the change.

The Server Manager information box appears, indicating that synchronization has started.

- 4. Click OK.
- 5. Wait approximately 30 seconds, and then proceed.

► To verify that the domain is synchronized

Note Complete this procedure from the BDC only.

1. Log on as the new user.

Were you successful? Why or why not?

YES

2. Log off and log on as Administrator.

► To verify synchronization using Event Viewer

Note Complete this procedure from both computers.

- 1. In Administrative Tools, click Event Viewer.
- 2. On the Log menu, click System.

The System event log appears.

- 3. Under Source, select the most recent NETLOGON event.
- 4. On the View menu, click Detail.
- 5. Read the event details by clicking **Next**, until you find confirmation of synchronization.

How many changes were synchronized?

3 changes

6. Exit Event Viewer.

Exercise 5

Troubleshooting User Logon Problems

In this exercise, you will troubleshoot two problems related to users logging on to the network. To produce each problem, you will run a batch file from the PDC. You will solve the problems from both computers.

Scenario 1

You have just added a new user account, and you need to test it before allowing the user to use the account. The user account for the PDC is *PDC1* and the password is *password*. The user account for the BDC is *BDC1* and the password is *password*.

► To produce the problem (from the PDC only)

- 1. Log on as Administrator.
- 2. From a command prompt, type d:\labfiles\1 and then press ENTER.

▶ To test the problem

- 1. Log on using the following user names:
 - On the PDC, log on as PDC1
 - On the BDC, log on as BDC1

What is the symptom of the problem?

▶ To solve the problem

Use User Manager for Domains to determine the problem and solve it.
What is the problem?

What is the solution to the problem?

Scenario 2

Two users need to change their passwords, but they are having problems logging on. The user account for the PDC is *PDC2* and the password is *password*. The user account for the BDC is *BDC2* and the password is *password*. They need to change their passwords to match their user names.

► To produce the problem (from the PDC only)

- 1. Log on as Administrator.
- 2. From a command prompt, type $d:\label{labfiles}\$ and then press ENTER.

► To test the problem (from both computers)

- Log on using the names specified in the scenario:
 - On the PDC, log on as PDC2
 - On the BDC, log on as BDC2

What is the symptom of the problem?

To	solve	the	prob	lem

Use User Manager for Domains to determine the problem and solve it.
What is the problem?

What is the solution to the problem?

Summary

This objective	Was accomplished by		
Promote a BDC to a PDC when the PDC is online.	Using Server Manger to verify server roles, promote a BDC to a PDC to force a PDC to become a BDC.		
Promote a BDC to a PDC when the PDC is offline.	Using Server Manager to take a PDC offline and then promoting the BDC to a PDC.		
Restore a PDC.	Using Server Manger to demote a PDC and then to promote the computer from a BDC to a PDC.		
Synchronize domain controllers.	Using Server Manager to verify that the domain was not synchronized, testing a user account to see the effect, and then synchronizing the domain BDC with the PDC.		
Troubleshoot problems related to users logging on to the network.	Running batch files that create user logon problems, and then resolving those problems using User Manager for Domains.		

Lab 7: Planning Shared Folders

Objectives

After completing this lab, you will be able to:

- Plan shared folders.
- Plan user and group permissions.

Before You Begin


In this lab, you will work with your partner to plan a folder hierarchy and permissions.

Estimated time to complete this lab: 30 minutes

Exercise 1 Planning Shared Folders


In this exercise, you will work with a partner to plan how to share resources on servers in the Istanbul office of World Wide Importers. You will record your decisions on the *Network Resources Planning Worksheet 1*.

The following diagram, shows the servers in the office.



This server

Has this folder structure...



You need to make resources on these servers available to network users. To do this, you need to determine:

- What folders to share.
- What groups to create, what built-in groups to use, and the appropriate permissions for each.
- A public folder location for users to share information.

The decisions you make are based on the following criteria:

- All employees need access to the spreadsheet, database, and word processing software.
- Only managers should be able to access the project management software.
- All employees need a network location to share information.
- The Accounting and Human Resources departments require their own network location to store their working files. Executives require access to these locations.

- Managers and executives require a network location to store employee performance reviews.
- Each user needs a private network location to store files. This location must be accessible only by that user.
- Share names must be accessible from Microsoft Windows NT, Microsoft® Windows® 95, and non-Windows NT platforms.

Summary

This objective	Was accomplished by
Plan shared folders.	Based on a situation, determining what existing folders to share and what folders to create.
Plan user and group permissions.	Based on a situation, determining what groups to create, what built-in groups to use, and the appropriate permissions for each group.

Lab 8: Sharing Folders

Objectives

After completing this lab, you will be able to:

- Share a folder.
- Assign shared folder permissions to users and groups.
- Connect to a shared folder.
- Stop sharing a folder.

Estimated time to complete this lab: 30 minutes

Exercise 1 Sharing Folders

In this exercise, you will share folders and assign permissions.

► To share a folder

- 1. Log on as Administrator, and start Windows NT Explorer.
- 2. Expand D:\LabFiles, right-click the Apps folder, and then click **Properties**. The **Apps Properties** dialog box appears.
- 3. Click the **Sharing** tab.

Tip When you right-click the Apps folder, notice that the **Sharing** command appears on the shortcut menu. If you click **Sharing** on this menu, you will switch directly to the **Sharing** tab of the **Apps Properties** dialog box.

4. Click Shared As.

Notice that the **Share Name** defaults to the name of the folder.

5. In the Comment box, type Shared Productivity Applications and then click OK.

Looking at Windows NT Explorer, what appears in the Apps folder indicating that it is shared?

a hand underneath the folder.

Exercise 2 Assigning Shared Folder Permissions

In this exercise, you will determine the current permissions for a shared folder, and assign shared folder permissions to groups in the default domain and to a global group in a different domain.

► To determine the current permissions for the Apps shared folder

 In Windows NT Explorer, right-click the Apps folder, and then click Sharing.

The Apps Properties dialog box appears.

2. Click Permissions.

The Access Through Share Permissions dialog box appears.

What are the default permissions for the Apps shared folder? EVERYONE

► To remove permissions for a group

- In the Access Through Share Permissions dialog box, under Names, make sure Everyone is selected, and then click Remove.
- ► To assign Full Control permission to the Administrators group
- 1. In the Access Through Share Permissions dialog box, click Add.

The Add Users and Groups dialog box appears.

What domain name appears in the List Names From box?

DOMAINI, indicating the location of the directory DB where.

the list of usel group a/c resides.

2. Under Names, click Administrators, and then click Add.

What appears in the **Add Names** box to indicate the location of the directory database where the selected name resides?

DOMAINI ADMINISTRATORS

3. In the **Type Of Access** box, select **Full Control**, and then click **OK**.

The **Access Through Share Permissions** dialog box reappears. Notice that the Administrators group has Full Control permission.

► To assign permissions in a multiple-domain network

1. In the Access Through Share Permissions dialog box, click Add.

The Add Users and Groups dialog box appears.

2. Click the **List Names From** arrow to display the list of other domains from which you can select user names for assigning permissions.

What domains are available?

BLASSROOMI

DOMAINI

3. Click **Classroom***x* (where *x* is the number assigned to the classroom domain).

Notice the list of Global groups for the Classroomx domain.

Click Students, and then click Add.
 Notice that Classroomx\Students appears under Add Names.

5. In the **Type Of Access** box, make sure the **Read** permission is selected, and then click **OK**.

The Access Through Share Permissions dialog box appears. Notice that the Students group from the Classroomx domain appears with Read permissions.

► To assign permissions to a user account in a different domain

- In the Access Through Share Permissions dialog box, click Add.
 The Add Users and Groups dialog box appears.
- Click the List Names From arrow, and then click Classroomx.
 The list of global groups for Classroomx appears.
- Click Show Users, and then scroll to the bottom of the list.
 Notice that the user accounts for the Classroomx domain appear.
- 4. Click **Student***x* (where *x* is your student number), and then click **Add**.
- 5. In the **Type Of Access** box, click **Change**, and then click **OK** twice. The **Apps Properties** dialog box appears.
- 6. Click **OK** to apply your changes.
- 7. Exit Windows NT Explorer.

Exercise 3

Connecting to a Shared Folder

In this exercise, you will use two methods to connect to a shared folder. You will then use **Connect as** to specify a different user account to connect to a shared folder.

To connect to a network drive using the Run command

- 1. Click Start, and then click Run.
- 2. In the **Open** box, type **\\instructor***x* (where *x* is the number assigned to the instructor's computer) and then click **OK**.

The Instructorx window appears.

Notice that only the folders that are shared appear to network users.

3. Close the Instructorx window.

► To connect a network drive to a shared folder using Map Network Drive

- 1. On the desktop, right-click Network Neighborhood, and then click **Map Network Drive**.
- 2. In the Drive box, click P.
- 3. In the **Path** box, type \\instructorx\public
- 4. Clear the Reconnect at Logon check box, and then click OK.
- 5. Close the Public on 'Instructorx' (P:) window.
- 6. Start Windows NT Explorer and view the drives under My Computer. Notice that drive P has been added as Public on 'Instructorx' (P:).

► To disconnect a network drive using Windows NT Explorer

- 1. In Windows NT Explorer, right-click drive P.
- 2. Click Disconnect.

Drive P is removed from the left pane of Windows NT Explorer.

3. Exit Windows NT Explorer and log off.

► To attempt to connect to a shared folder on Instructorx

- 1. Log on as Studentx in the Classroomx domain, with no password.
- 2. Make sure that Windows NT Explorer is not running.
- 3. Right-click Network Neighborhood, and then click **Map Network Drive**. The **Map Network Drive** dialog box appears.
- 4. In the **Drive** box, click **S**.
- 5. In the **Path** box, type \\instructorx\security

6. Click to clear the **Reconnect at Logon** check box, and then click **OK**.

You receive a message stating that access is denied.

Why weren't you able to access the Security shared folder? the logon user has no permission to do so.

- 7. In the **Security on 'Instructorx' (S:)** dialog box, click **Cancel**.
- 8. Right-click Network Neighborhood, and then click **Disconnect Network Drive**.

The Disconnect Network Drive dialog box appears.

9. Under Network Drive, click S: \\Instructorx\\Security\, and then click OK to disconnect the drive.

► To connect to a shared folder using another user account

- Right-click Network Neighborhood, and then click Map Network Drive.
 The Map Network Drive dialog box appears.
- 2. In the Drive box, click S.
- 3. In the Path box, type \\Instructorx\Security
- 4. In the Connect as box, type classroomx\administrator
- 5. Click to clear the Reconnect at Logon check box, and then click OK.
- 6. If you are prompted to enter a network password, type **password**Can you access the Security share? Why or why not?

 YES
- 7. Exit Windows NT Explorer.

Exercise 4 **Testing the Shared Folder Permissions**

In this exercise, you will connect to shared folders and observe the effects of assigned permissions using accounts from the Classroomx domain. Studentx is a member of the Students group. For this exercise, the Students group has Read permission to the \Instructorx\Apps folder.

Note Complete this exercise while logged on as Studentx in the Classroomx domain.

► To test shared folder permissions by logging on to another domain

- 1. Right-click Network Neighborhood, and then click Map Network Drive.

- 4. Click to clear the Reconnect at Logon check box, and then click OK.

Were you successful? Why or why not?

YES, because the Student a/c is a menter of the Classician Students group that was assigned head access to the Ares share in a previous exercise. A window for the mapped drive appears.

► To test shared folder permissions by running an application

1. In the Apps window, expand the \Games folder and run Kolumz.exe.

Were you successful? Why or why not?

YES, Read access allow exe, of program

2. Exit Kolumz.exe.

► To test shared folder permissions

1. In Windows NT Explorer, delete Kolumz.exe.

Were you successful? Why or why not?

YES NO, Read ONLY!

2. Exit Windows NT Explorer and log off.

Exercise 5 Stopping a Shared Folder

In this exercise, you will stop sharing a shared folder.

Note Wait until the previous exercise has been completed at both the PDC and BDC before continuing.

► To stop sharing a folder

- 1. Log on to your domain as Administrator, and then start Windows NT Explorer.
- Expand drive D, right-click the Apps folder, and then click Sharing.
 The Sharing tab of the Apps Properties dialog box appears.
- Click Not Shared, and then click OK.
 Notice that the hand no longer appears on the Apps folder.

If Time Permits...

Creating Hidden Shared Folders

In this exercise, you will create a hidden share on your server and then test it to verify that it is actually hidden.

► To create a folder and a hidden share name

- 1. Start Windows NT Explorer and select drive C.
- 2. On the File menu, click New, and then click Folder to create a new folder.
- 3. Type **Secret** for the folder name, and then press ENTER.

A folder named Secret appears under Contents of (C:).

- Right-click the Secret folder, and then click Sharing.
 The Secret Properties dialog box appears.
- 5. Click Shared As.

Notice that the share name defaults to the name Secret.

6. In the **Share Name** box, type **Secret\$**

The \$ makes the share name hidden to network users.

In the Comment box, type System Utilities and then click OK.
 Notice that Windows NT Explorer shows a hand holding the Secret folder, indicating that the folder is shared.

► To test the visibility of the hidden share name


- 1. Click Start, and then click Run.
- 2. In the **Open** box, type \\studentx and then click **OK**.
- 3. Does the **Secret\$** appear? NO

4. Exit all applications.

► To connect to a hidden shared folder

- 1. Click Start, and then click Run.
- 2. In the **Open** box, type **\\student**x**\\secret\$** (where **student**x is your partner's computer) and then click **OK**.

Were you able to access the Secret\$ share name? Why or why not?



3. Exit Windows NT Explorer and log off Windows NT.

Summary

This objective	Was accomplished by
Share a folder.	Sharing folders using Windows NT Explorer.
Assign shared folder permissions to users and groups.	Assigning permissions to users and groups in a multiple-domain network for shared folders.
Connect to a shared folder.	Connecting to shared folders by using the Run command on the Start menu, clicking Map Network Drive , and then logging on as different users to test shared folder permissions.
Stop sharing a folder.	Clicking Not Shared on the Sharing tab of a shared folder.

Lab 9: Planning and Assigning NTFS Permissions

Objectives

After completing this lab, you will be able to:

- Plan NTFS file and folder permissions for a folder hierarchy.
- Assign NTFS and shared folder permissions to a folder hierarchy.

Before You Begin


Prerequisite

This lab assumes that you have completed the *Planning and Creating User Accounts* lab.

Estimated time to complete this lab: 45 minutes

Exercise 1 Planning NTFS Folder and File Permissions

In this exercise, you will work with a partner to plan how to assign NTFS permissions and share resources on a computer running Windows NT Server, based on the following folder hierarchies.



Record your decisions for the path, folder name, users and groups, and permissions on the *Network Resources Planning Worksheet 2*.

You need to make the resources on the computer available to network users, and secure these resources according to the needs of the company. (The volume has been formatted with NTFS.) To do this you need to determine:

- What groups to create and what built-in groups to use.
- What permissions users will require to gain access to the appropriate folders and files.

The decisions you make are based on the following criteria:

- Share names must be accessible from Windows NT, Windows 95, and non-Windows NT platforms.
- Administrators require Full Control access to all folders and files.
- All users will run programs in the WordProc folder, but they should not be able to modify the files in the WordProc folder.
- Only members of the Accounting, Managers, and Executives groups should be able to access the Spreadsh and Database application folders, but they should not be able to modify the files in those folders.

- All users should be able to create and modify their files in the \Public folder, but they should be not be able to modify other users' files.
- All users should be prevented from modifying files in the \Public\Library folder.
- Only UserA should be able to modify files in the \Public\Manuals folder.

Exercise 2

Assigning NTFS Permissions to a Public Folder

In this exercise, you will assign NTFS permissions to the Public folder based on your *Network Resources Planning Worksheet 2*. The Public folder is located in D:\LabFiles.

► To assign permissions to Users for the Public folder

- 1. Log on as Administrator and start Windows NT Explorer.
- 2. Right-click the D:\LabFiles\Public folder, and then on the shortcut menu, click **Properties**.
- 3. Click the **Security** tab, and then click **Permissions**.

The Directory Permissions dialog box appears.

What are the existing folder permissions?

Everyone Full Control (AU) (AU)

- In the Directory Permissions dialog box, click Add.
 The Add Users and Groups dialog box appears.
- Under Names, click Users, and then click Add. *Domainx\Users* appears under Add Names.
- 6. In the **Type Of Access** box, click **Add & Read**, and then click **OK**. The **Directory Permissions** dialog box appears.
- 7. Under Name, click Everyone, and then click Remove.

► To assign permissions to CREATOR OWNER for the Public folder

- In the Directory Permissions dialog box, click Add.
 The Add Users and Groups dialog box appears.
- 2. Under Names, click Creator Owner, and then click Add.
- In the Type Of Access box, click Full Control, and then click OK.
 The Directory Permissions dialog box appears.

► To assign permissions to Administrators for the Public folder

- In the Directory Permissions dialog box, click Add.
 The Add Users and Groups dialog box appears.
- 2. Under Names, click Administrators, and then click Add.
- 3. In the Type Of Access box, click Full Control, and then click OK.
 In the Directory Permissions dialog box, notice that the Administrators group and Creator Owner have Full Control permission, and that the Users group has the Add & Read permission.

4. Select the Replace Permissions on Subdirectories check box and verify that the Replace Permissions on Existing Files check box is selected, and then click OK.

The following message appears:

Do you want to replace the security information on all existing subdirectories within D:\LabFiles\Public?

- 5. Click Yes to return to the Public Properties dialog box, and then click OK to apply your changes.
- 6. Create a file in D:\LabFiles\Public.

► To test the folder permissions assigned for Public

- 1. Log on as the day shift customer service representative you created in the Planning and Creating User Accounts lab, and start Windows NT Explorer.
- 2. Expand the D:\LabFiles\Public folders.

Were you successful? Why or why not? YES Hu Users group has Add Land Paralisade 4. Attempt to perform the following tasks for the file that you just created and record those which you are able to complete.	3.	Attempt to create a file in the Public folder.							
4. Attempt to perform the following tasks for the file that you just created and		Were you success	ful? Why or	r why not	?				
4. Attempt to perform the following tasks for the file that you just created and		YES	the	Users	go oup	has	Addl	Read	Permission
	4.								

Open the file

Modify the file

Delete the file

5. Attempt to perform the following tasks for the file created by the USERS-READ (RX) administrator and record those tasks which you are able to complete.

Open the file

Modify the file CAN NOT MODIFY, BUT CAN SAVE IT WITH A DIFFERENT FILE NAME!

Delete the file

ADMINISTRATOR - FC (ALL) CUSTOMER SERVICEZ - FC (ALL)

6. Exit all applications and log off.

USUS - READ (RX)

► To share the Public folder

- 1. Log on as Administrator, start Windows NT Explorer, and share the Public folder.
- 2. Assign the Users group Full Control permission to the Public shared folder.
- 3. Remove the Everyone group from the shared Public folder.
- 4. Exit all applications and log off.

► To test the remote folder permissions assigned for Public

Note Wait until the previous procedure has been completed on both the PDC and BDC before starting this procedure.

- 1. Log on as the day shift customer service representative you created in the *Planning and Creating User Accounts* lab.
- 2. Click Start, and then click Run.
- 3. In the **Open** box, type \\Studentx\\Public (where studentx is your partner's computer) and then click **OK**.

The Public on Studentx window appears.

4. Attempt to create a file in the Public folder.

Were you successful? Why or why not?

YES. FULL CONTROL

- 5. Attempt to perform the following tasks for the file that your *partner* created while logged on as administrator and record those which you are able to complete.
 - Open the file
 - Modify the file
 - Delete the file
- 6. Close Windows NT Explorer and log off.

Exercise 3

Assigning NTFS Permissions and Sharing Folders

In this exercise, you will assign NTFS permissions to the Apps, Library, and Manuals folders based on your *Network Resources Planning Worksheet 2*. You will then share application folders. The Apps, Library, and Manuals folders are located in D:\LabFiles.

► To assign NTFS permissions

- 1. Log on as Administrator and create a user named UserA.
- 2. Start Windows NT Explorer and expand drive D.
- 3. Right-click the folder or file, and then click **Properties**. The *Folder/File_name* **Properties** dialog box appears.
- 4. In the *Folder/File_name* **Properties** dialog box, click the **Security** tab, and then click **Permissions**.
- 5. Configure the following options.

For this option	Do this
Replace permissions on subdirectories	Select this check box.
Replace permissions on existing files	Select this check box.

- 6. To add permissions for users or local groups to the folder or file, click Add.
- 7. Configure the **Add Users and Groups** box to assign permissions to the appropriate local groups or users based on the *Network Resources Planning Worksheet 2*.

To share folders and assign shared folder permissions

• Share the appropriate application folders and assign network users permissions based on the *Network Resources Planning Worksheet 2*.

Exercise 4 Testing Permissions

In this exercise, you will log on as various users and test permissions.

To test permissions for the Manuals folder when a user logs on locally

- 1. Log on as the day shift customer service representative you created in the *Planning and Creating User Accounts* lab and start Windows NT Explorer.
- 2. In Windows NT Explorer, expand the D:\LabFiles\Public\Manuals folder.
- 3. Attempt to create a file in the Manuals folder.

Were you successful? Why or why not?

NO. Uses has Read only right.

group

Note Wait until the previous procedure has been completed on both the PDC and BDC before continuing.

- ► To test permissions for the Manuals folder when a user connects over the network
- 1. Click Start, and then click Run.
- 2. In the **Open** box, type **\\Student**x**\Public** (where *x* is your student number) and then click **OK**.

The Public on Studentx window appears.

- 3. In the Public on Studentx window, expand your partner's Manuals folder.
- 4. Attempt to create a file in the Manuals folder on your partner's computer. Were you successful? Why or why not?

NO.

	To test permissions for the Manuals folder when logged on as UserA	
1.	Log on as UserA and start Windows NT Explorer.	
2.	Expand the D:\LabFiles\Public\Manuals folder.	
3.	Attempt to create a file in the Manuals folder.	
	Were you successful? Why or why not? $\gamma \in S$.	
4.	Connect to the Public shared folder on your partner's computer.	
	The Public on Studentx window appears.	
5.	Attempt to create a file in the Manuals folder on your partner's computer	
	Were you successful? Why or why not?	
	Were you succession. Why or why here	
•	To test permissions for the Apps folder while logged on locally as	
1.	To test permissions for the Apps folder while logged on locally as Administrator	
	To test permissions for the Apps folder while logged on locally as Administrator	
1. 2.	To test permissions for the Apps folder while logged on locally as Administrator Log on as Administrator and start Windows NT Explorer.	
1.	To test permissions for the Apps folder while logged on locally as Administrator Log on as Administrator and start Windows NT Explorer. Expand the D:\LabFiles\Apps folder.	
1. 2.	To test permissions for the Apps folder while logged on locally as Administrator Log on as Administrator and start Windows NT Explorer. Expand the D:\LabFiles\Apps folder. Attempt to create a file in the WordProc folder. Were you successful? Why or why not?	
1. 2. 3.	To test permissions for the Apps folder while logged on locally as Administrator Log on as Administrator and start Windows NT Explorer. Expand the D:\LabFiles\Apps folder. Attempt to create a file in the WordProc folder. Were you successful? Why or why not?	
1. 2. 3.	To test permissions for the Apps folder while logged on locally as Administrator Log on as Administrator and start Windows NT Explorer. Expand the D:\LabFiles\Apps folder. Attempt to create a file in the WordProc folder. Were you successful? Why or why not? YES ADMINISTRATOR has paget to this folder. Attempt to create a file in the Spreadsh folder and then in the Database	

5. Exit Windows NT Explorer and log off.

To test permissions for application folders when a user logs on locally

- 1. Log on as the day shift customer service representative you created in the *Planning and Creating User Accounts* lab and start Windows NT Explorer.
- 2. Expand the D:\LabFiles\Apps folder.
- 3. Attempt to create a file in the WordProc folder.

Were you successful? Why or why not?

NO. READ ONLY

► To test permissions for application folders when a user connects over the network

1. Connect to the Apps shared folder on your partner's computer.

The Apps on Studentx window appears.

2. Attempt to create a file in the WordProc folder.

Were you successful? Why or why not?

NO.

3. In the WordProc folder, attempt to open the file that you created in the previous procedure.

Were you successful? Why or why not?

YES. READ ONLY

► To modify permissions for the Apps shared folder

- 1. Log on as Administrator and start Windows NT Explorer.
- 2. Right-click the D:\LabFiles\Apps folder, and then, on the shortcut menu, click **Sharing**.
- 3. Click Permissions.

The Access Through Share Permissions dialog box appears.

- 4. Click Users, and then, in the Type Of Access box, click Read.
- 5. Click **OK** to return to the **Apps Properties** dialog box.
- 6. Click **OK** to apply your changes.

▶ To test permissions for the Apps shared folder

Note	Wait until your domain partner completes the previous procedure before
you c	ntinue.

1. Connect to your partner's Apps shared folder.

- 2. Attempt to create a file in the WordProc folder.

Were you successful? Why or why not?

NO, cannot create file.

3. Attempt to create a file in the Spreadsh folder, and then in the Database folder.

Were you successful? Why or why not?

Ho folder not accessable.

Summary

This objective	Was accomplished by
Plan NTFS file and folder permissions for a folder hierarchy.	Based on a situation, determining what groups to create, what built-in groups to use, and the appropriate permissions for each.
Assign NTFS and shared folder permissions to a folder hierarchy.	Assigning permissions to various folders, and testing those permissions, based on your <i>Network Resources Planning Worksheet 2</i> .

Lab 10: Managing Permissions

Objectives

After completing this lab, you will be able to:

- Take ownership of a file.
- Copy and move folders and files.
- Identify and solve permission-related problems.

Estimated time to complete this lab: 45 minutes

Exercise 1 Taking Ownership of a File

In this exercise, you will log on as a user and observe the effects of taking ownership of a file. To do this, you will determine permissions for a file, assign permission to a user to take ownership, and take ownership as that user.

► To determine the permissions for a file

- 1. Log on as Administrator and start Windows NT Explorer.
- 2. In the D:\LabFiles\Public folder, create a text file named Owner.txt
- Right-click Owner.txt, and then click Properties.The Owner.txt Properties dialog box appears.
- 4. Click **Security**, and then click **Ownership**.

Who is the current owner of Owner.txt?

5. Click Close, and then click Permissions.

What are the current permissions for Owner.txt?

admigristrators FULL CONTROL (ALL)
Users Read (RX)

To assign permission to a user to take ownership

- In the File Permissions dialog box, click Add.
 The Add Users and Groups dialog box appears.
- 2. Click Show Users.
- 3. Select the user you created for the Sales Manager, and then click Add.
- 4. In the **Type Of Access** box, click **Read**, and then click **OK**. The **File Permissions** dialog box appears.
- 5. In the Name box, click the user account you created for the Sales Manager.

6.	In the Type Of Access box, click Special Access.
	The Special Access dialog box appears.
	What permissions are already selected? Why? $ \frac{\text{KEAD}(R)}{\text{EXECUTE}(X)} $
7.	Select the Take Ownership (O) check box, click OK three times to apply your changes, and then exit to Windows NT Explorer.
8.	Exit all applications and log off.
-	To take ownership of a file
1.	Log on as the Sales Manager and start Windows NT Explorer.
2.	Expand the D:\LabFiles\Public folder.
3.	Right-click the file Owner.txt, and then click Properties .
	The Owner.txt Properties dialog box appears.
4.	On the Security tab, click Ownership.
5.	In the Owner dialog box, click Take Ownership.
6.	On the Security tab, click Ownership.
	Who is the owner of Owner.txt?
	Sales Myr (Dave Rotherhan)
	Why could the Sales Manager take ownership of Owner.txt?
	he has the right to.
-	To test permissions to a file as the owner logar as & Sales 1
1.	Assign the Sales Manager the Full Control permission to the file Owner.to
2.	Remove permissions for all users and groups from the file Owner.txt.
	Were you successful? Why or why not?
	Y 6S.

Exercise 2

Copying and Moving Folders

In this exercise, you will see the effects of permissions and ownership when copying and moving folders. To do this, you will create a folder while logged on as a user, and when logged on as Administrator.

► To create a folder while logged on as a user

Note Complete this procedure while logged on as the sales manager.

1. In D:\, create a folder named Temp1.

What are the permissions assigned to the folder?

Everyone Full Control (AU)(AU)

Who is the owner? Why?

Sales Mg+

- 2. Log off.
- ► To create a folder while logged on as Administrator
- 1. Log on as Administrator and start Windows NT Explorer.
- 2. In D:\, create the following folders:
 - Temp2
 - Temp3

What are the permissions of the folders that you just created?

Everyone Full Control (AU) (AU)

Who is the owner of the D:\Temp2 and D:\Temp3 folders? Why?

Administrator.

3. Remove the group Everyone and assign the following permissions to the D:\Temp2 and D:\Temp3 folders.

Folder	Assign these permissions
D:\Temp2	Administrators: Full Control
	Users: Read
D:\Temp3	Backup Operators: Read
	Users: Full Control

To copy a folder to another folder within an NTFS volume

- 1. Copy D:\Temp2 to D:\Temp1.
- 2. Select D:\Temp1\Temp2 and compare the permissions and ownership with D:\Temp2.

Who is the owner of D:\Temp1\Temp2 and what are the permissions? Why?

Administrator / everyone Full Control (AU)(AU)

► To move a folder to another NTFS volume

- 1. Click Start, and then click Run.
- 2. In the **Open** box, type \\studentx\public (where studentx is the name of your partner's server) and then click **OK**.

The Public on Studentx window appears.

- 3. Move D:\Temp2 from your computer to \\Studentx\Public.
- 4. Click \\Studentx\Public\Temp2.

Compare the permissions and ownership of \\Studentx\Public\Temp2 with the permissions for D:\Temp2 on your computer. What are the similarities and differences?

AD TILD IS TEATEN FULL Control (AU)(AU)

CREATEN OWNER (AU)(AU)

USENS Add & Read (RWX)(RX)

► To move a folder within the same NTFS volume

- 1. Log on as the Sales Manager.
- 2. Select D:\Temp3 and move the folder structure to D:\Temp1. What are the permissions and owner for D:\Temp1\Temp3? Why?

Backup Operators Read (RD) (RD)

Vers Full Control (AU) (AU)

► To copy a folder from an NTFS volume to a FAT volume

1. Copy the D:\Temp1 folder structure to C:\.

Compare the permissions on C:\Temp1 with the permissions and ownership on D:\Temp1. What are the similarities and differences?


2. Exit Windows NT Explorer and log off.

Exercise 3 Identifying Incorrect Permissions

In this exercise, you will identify and solve a common permission-related problem.

Scenario

You are the administrator for a server that contains the folder hierarchy shown in the following illustration.



UserA calls you, saying that she does not have proper access to the Reports folder. She is a member of the Managers group.

The following Shared Folder permissions have been assigned:

Folder	Share name	User/group	Shared folder permissions
\Data	Data	Administrators	Full Control
		Managers	Read
\Data\Managers\Reports	Mng_Reports	Administrators	Full Control
		Managers	Full Control

The following NTFS permissions have been assigned:

Folder	User/group	NTFS permissions
\Data	Administrators	Full Control
	Managers	Read
\Managers	Managers	Add & Read
	Creator Owner	Full Control
\Reports	Managers	Add & Read
	Creator Owner	Full Control

When UserA connects to the shared Data folder, she can browse the Managers and Reports folders. She cannot create or modify any files that she owns. What is the problem and how would you solve it?

Exercise 4

Deleting a File with No Access Permissions

In this exercise, you will observe the result when a user has Full Control permission to a folder and No Access permission to a file in that folder. To do this, you will first assign these permissions.

► To assign Full Control access to a folder

- 1. Log on as Administrator and start Windows NT Explorer.
- 2. Create a folder on drive D:\ named D:\Fullaccess.
- 3. Verify that the Everyone group has the Full Control NTFS permission to the folder D:\Fullaccess.

► To create and assign No Access to a file

- 1. Create a text file in the D:\Fullaccess folder named Noaccess.txt.
- 2. Assign the Everyone group No Access permission for the file Noaccess.txt. The following error message appears:

You have denied access to D:\Fullaccess\Noaccess.txt. Nobody will be able to access D:\Fullaccess\Noaccess.txt and only the owner will be able to change the permissions. Do you wish to continue?

3. Click Yes, and then click OK.

► To view the result of Full Control access to a folder

Double-click to open D:\Fullaccess\Noaccess.txt.
 Were you successful? Why or why not?
 No.

2. Click Start, point to Programs, and then click Command Prompt.

- 3. Change to D:\Fullaccess.
- 4. Delete Noaccess.txt.

Were you successful? Why or why not?

NO-

How would you prevent users with Full Control permission to a folder from deleting a file in that folder to which they have been assigned the No Access permission?

Exercise 5 Changing Group Membership

In this exercise you will work with a partner to test permissions for a user when that user is connected to a resource. To do this, you will first create a shared folder with permissions.

► To create a shared folder with permissions

Note Complete this procedure from the PDC.

- 1. Log on as Administrator.
- 2. Create a user named UserD.

What global group is this user automatically a member of?

- From a command prompt, type net accounts /sync and press ENTER.
 This command will synchronize the directory databases on the BDC and PDC.
- 4. Create a folder in the root of drive D named Security.
- 5. Assign only the NTFS permissions shown in the following table to D:\Security.

Group	NTFS permissions
Users	Read
Administrators	Full Control

- 6. Share the folder D:\Security as Security, and accept the default permissions: Everyone: Full Control.
- 7. In the D:\Security folder create a text file named Group.txt.

► To test the shared folder permissions

Note Wait until the previous procedure has been completed before you begin this procedure. Complete this procedure from the BDC.

- 1. Log on as UserD.
- 2. Connect to \\Studentx\Security (where *x* is your student number) on the PDC.
- 3. Add some text to Group.txt.

Were you successful? Why or why not?

► To modify group membership

Note Complete this procedure from the PDC.

Add UserD to the Domain Admins group.

What shared folder permissions does UserD have to \\Studentx\Security on the PDC?

What local permissions does the user have to the folder D:\Security on the PDC?

► To test the new group membership

Note Complete this procedure from the BDC.

- Add some text to Group.txt
 Were you successful? Why or why not?
- 2. Log off and then log on as UserD.
- 3. Add some text to Group.txt.
 Were you successful? Why or Why not?
- 4. Disconnect from the PDC and log off.

Summary

This objective	Was accomplished by
Take ownership of a file.	Using Windows NT Explorer to determine permissions for a file, assigning permission to a user to take ownership, and taking ownership as that user.
Copy and move folders and files.	Creating a folder while logged on as a user and when logged on as Administrator, and then moving folders within an NTFS volume, to an NTFS volume, and to a FAT volume.
Identify and solve permission-related problems.	By identifying incorrect permissions, deleting a file with the No Access permission, testing shared folder permissions, and changing group membership.

Appendix A: Planning Worksheets

User and Group Accounts Planning Worksheet

User Account Naming Convention:__

Full Name	User	Description	Password Requirements	Home Folder Location (local computer or server)	Logon	Workstation Restrictions (Y/N)
Susan Young		Vice president				
		Director of human resources				
		Sales manager				
		Sales representative 1				
		Sales representative 2				
		Temporary employee 1				
		Customer service manager (night)				
		Customer service manager (day)				
Susan Young		Customer service representative (night)				
		Customer service representative (day)				
		Accounting manager				
		Accountant 1				
		Accountant 2				
		Temporary employee 2				

User and Group Accounts Planning Worksheet (continued)

Group Account	Local or Global	Members	Server

Network Resources Planning Worksheet 1

Path	Share Name	User and Group Accounts	Share Permissions
			mi.

Network Resources Planning Worksheet 2

Path	Share Name	User and Group Accounts	NTFS Permissions

Backup Planning Worksheet

Tape Drive Location

Tape Storage Location

Files and Folders to Back Up (Provide Path)	Daily	Weekly (Provide Day)

Weekly Backup Schedule

Monday	Tuesday	Wednesday	Thursday	Friday
Backup Type				
Tape	Tape	Tape	Tape	Tape
Archive Y_N_				

	DO	3	
		17	
		4	
		3	
,	2	•	
ć	SY	3	

N = Normal

D = Differential

C = Copy

I = Incremental

DC = Daily Copy

Type of Backup Log

Full Detail

Summary Only

y 🗖 Don't Log

Lab 11: Setting Up a Network Printer

Objectives

After completing this lab, you will be able to:

- Add and share a printer.
- Connect to a shared printer.
- Assign printer permissions to users.
- Create a printing pool.
- Schedule documents to print.
- Assign forms to paper trays.
- Set up a separator page.

Estimated time to complete this lab: 45 minutes

Exercise 1

Adding and Sharing a Printer

In this exercise, you will use the Add Printer Wizard to add and share a local printer on your computer.

To add a printer

- 1. Log on as Administrator.
- 2. Click Start, point to Settings, and then click Printers.
- Double-click the Add Printer icon.
 The Add Printer Wizard begins.
- 4. Click My Computer, and then click Next.
- 5. Under Available Ports, select the LPT1 check box, and then click Next.
- 6. Under Manufacturers, click HP.
- Under Printers, click HP LaserJet 4Si, and then click Next.
 In the Printer Name box, notice Windows NT automatically defaults to the printer name HP LaserJet 4Si.

To share a printer

- 1. Accept the default printer name by clicking Next, and then clicking Shared.
- 2. In the Share Name box, type hplaser4 and then click Next.
- 3. When asked if you want to print a test page, click **No**, and then click **Finish**. The **Copying Files—Files Needed** dialog box appears, prompting for the location for the Windows NT Server distribution files.
- 4. In the **Copy Files From** box, type **\\instructor**x**\\winnt** and then click **OK**. The printer files are copied.

The shared printer is created, and an icon for the HP LaserJet 4Si printer appears. Notice that an open hand appears under the printer icon. This signifies that the printer is shared.

► To pause the LaserJet 4Si printer

- In the Printers window, double-click the HP LaserJet 4Si icon.
 The HP LaserJet 4Si window appears.
- 2. On the **Printer** menu, click **Pause Printing**.

Important Pause the printer to prevent it from trying to communicate to a non-existent print device. This will eliminate error messages in later exercises when documents are processed.

► To print a test document to HP LaserJet 4Si

- Click Start, point to Programs, point to Accessories, and then click Notepad.
- 2. In Notepad, type any text you want.
- 3. Arrange the Notepad window and the HP LaserJet 4Si window so that you can see the contents of each.
- 4. On the File menu, click Print.

You receive a message stating that the document is printing.

In the HP LaserJet 4Si window, you will see the document waiting to print.

5. Minimize the Notepad and the HP LaserJet4Si windows.

Exercise 2

Connecting to a Shared Printer

In this exercise, you will use two different methods to connect to a shared printer. First, you will connect to your partner's shared printer, and then you will use a different method to connect to the shared printer on the instructor's computer. You will then set a printer as your default printer and print to it.

Note Before you start this exercise, make sure that your partner has added the HP LaserJet4Si printer and that it is paused.

► To connect to a shared printer using the Add Printer Wizard

- 1. In the Printers window, double-click the Add Printer icon.
- In the Add Printer Wizard dialog box, click Network printer server, and then click Next.

The Connect to Printer dialog box appears.

3. In the **Printer** box, type \\studentx\\hplaser4 (where studentx is your partner's computer) and then click **OK**.

Tip You can also double-click \\studentx\\hplaser4 in the Shared Printers list.

4. When prompted to use the printer as the default print, click **Next** to accept the default setting of No.

A message indicates that the network printer has been successfully installed.

5. Click Finish.

The icon for HP LaserJet 4Si on Student*x* appears in the Printers folder. Notice that a network cable appears on the icon for this printer. This indicates that the printer is a network printer.

► To connect to the instructor's shared printer using a shortcut

1. On the desktop, double-click Network Neighborhood.

The Network Neighborhood window appears.

2. Double-click the Entire Network icon.

The Entire Network window appears.

3. Double-click the Microsoft Windows Network icon.

The Microsoft Windows Network window appears.

4. Double-click the Classroom*x* domain (where *x* is the number assigned to the Classroom domain).

All computers in the Classroomx domain appear.

5. Double-click Instructor*x* (where *x* is the number assigned to the Instructor computer).

The available shared resources appear in the Instructorx window.

6. Drag the instructorx_printer icon to your desktop.

A Shortcut dialog box appears, asking you if you want to create a shortcut.

7. Click Yes.

An icon labeled "Shortcut to *instructorx_printer* on Instructorx" appears on your desktop.

8. Close everything except the Printers folder.

► To set the default printer

- 1. In the Printers folder, right-click HP LaserJet on Student*x* (where *x* is your student number).
- 2. On the submenu that appears, click **Set As Default**.

The HP LaserJet on Studentx printer is now the default printer. Anything you print will go to this printer.

► To print a document to the HP LaserJet on Studentx printer

- 1. Double-click HP LaserJet on Studentx and verify it is paused.
- 2. Start Notepad.
- 3. Arrange the Notepad window and the HP LaserJet 4Si window so that you can see the contents of each.
- 4. In Notepad, type any text, and then save the file to your desktop as Test.txt.
- 5. Print the file.

In the HP LaserJet 4Si on Studentx window, you will see the document waiting to be printed.

- 6. Close the HP LaserJet 4Si on Studentx dialog box.
- 7. Close Notepad.

Assigning Printer Permissions

In this exercise, you will assign printer permissions to the Users group and to two users that you will create. You will also remove the Print permission from the Everyone group to restrict access to only those users you have created.

► To assign permissions to a group

1. In the Printers folder, click the HP LaserJet 4Si icon, and then, on the **File** menu, click **Properties**.

The HP LaserJet 4Si Properties dialog box appears.

2. Click the Security tab, and then click Permissions.

The Printer Permissions dialog box appears.

Which built-in local groups are assigned the Full Control permission by default?

Which system groups are assigned the Manage Document permission by default?

- 3. Select the Everyone group, and then click Remove.
- 4. Click Add.

The Add Users and Groups dialog box appears.

5. Select Users, and then click Add.

The Users group appears in the **Add Name** box.

6. In the **Type of Access** box, verify that **Print** is selected, and then click **OK** twice to return to the **HP LaserJet 4Si Properties** dialog box.

► To assign permissions to a user

- 1. Create the following user accounts. Substitute *x* for your assigned number:
 - User1-x
 - User2-x
- 2. From a command prompt, type **net accounts /sync** and press ENTER to manually synchronize the directory databases.
- 3. Assign the following permissions to each user:
 - User1-x: Manage Documents
 - User2-x: Full Control

Exercise 4 Testing Permissions

	this exercise, you will test the permissions for two users by viewing the vailable printer options for each user.			
	To test the Manage Documents permission for User1-x			
1.	. Log on as User1- x (where x is your assigned number).			
2.	Open the Printers folder.			
3.	Double-click Add Printer.			
	What options are available to User1-x?			
4.	Close the Add Printer window.			
5.	. Click the HP LaserJet 4Si icon, and then on the File menu, click Propert			
6.	Click the Security tab, and then click Permissions .			
	Can you change permissions?			
7.	Click the Share tab.			
	Can you share a printer?			
8.	Click the Scheduling tab.			
	Can you change printing hours?			
9	Click the Port tab.			

11. In the Printers folder, with HP LaserJet 4Si selected, click **File** to view the available menu options, and then click **Purge Print Documents**.

Can you purge documents from the printer?

► To test the Full Control permission for User2-*x*

- 1. Log on as User2-*x* (where *x* is your assigned number).
- 2. Try to perform the following tasks. Record the tasks available with the Full Control permission.
 - ☐ Add a printer
 - Connect to a printer
 - ☐ Change a permission
 - ☐ Share a printer
 - ☐ Schedule a printer
 - Add additional ports
 - Purge a printer

Exercise 5 Creating a Printer Pool

In this exercise, you will create a printer pool. First, you will pause the printer to prevent it from trying to communicate to a non-existent print device. This will eliminate error messages in later exercises when documents are spooled.

► To pause the printer

- 1. Log on as Administrator.
- 2. Click Start, point to Settings, and then click Printers.
- 3. In the Printers window, double-click the HP LaserJet 4Si icon. The HP LaserJet 4Si window appears.
- 4. On the **Printer** menu, verify that **Pause Printing** is selected.
- 5. Close the HP LaserJet 4Si window.

To create a printer pool

- 1. In the Printers window, select the HP LaserJet 4Si icon.
- On the File menu, click Properties.
 The HP LaserJet 4Si Properties dialog box appears.
- Click the Ports tab.The Ports tab appears, and LPT1 is selected.
- 4. Select Enable printer pooling.
- 5. Click COM2, and then click LPT2.
 For this exercise, in what order will the printer check for available ports?
- 6. Click OK.

Exercise 6 Scheduling Documents to Print

In this exercise, you will schedule documents to print by setting the printer priority and available printer hours.

► To set a printer priority

- 1. Make sure the Printers window is active and that the HP LaserJet 4Si icon is selected.
- 2. On the File menu, click Properties.

The HP LaserJet 4Si Properties dialog box appears.

Note You can also right-click the HP LaserJet 4Si icon, and then click **Properties** to access the **HP LaserJet 4Si Properties** dialog box.

3. Click the **Scheduling** tab.

What is the default priority for a printer?

4. In the **Priority** section, move the slider to the highest priority.

What is that priority?

► To set available printing hours

- 1. Make sure that the **Scheduling** tab is active.
 What is the default setting for available printing hours?
- 2. Click From.
- 3. Set the available printer hours from 8:00 P.M. until 8:00 A.M.
- 4. Click OK.

► To test the available printing hours

1. Double-click the HP LaserJet 4Si icon.

The HP LaserJet 4Si dialog box appears.

- 2. On the Printer menu, click Set As Default Printer.
- 3. On the Printer menu, click Pause Printing.

Notice that on the **Printer** menu, the check mark next to **Pause Printing** disappears.

- 4. Open the Text.txt file that you created previously using Notepad.

 Arrange the Notepad window and the HP LaserJet window on your desktop so you can see both.
- Print Test.txt.
 Look at the status of the files to be printed in the HP LaserJet 4Si window.
 Notice that the status of the document is not "Printing" or "Paused." This indicates that the document is not attempting to print.
- 6. Minimize Notepad.

Assigning Forms to Paper Trays

In this exercise, you will assign a paper type (form) to a paper tray so that when users print to a specified form, the print job will automatically be routed to and adjusted for the correct tray.

► To assign forms to paper trays

- 1. Verify that the HP LaserJet 4Si window is active.
- On the Printer menu, click Properties.
 The HP LaserJet 4Si Properties dialog box appears.
- 3. Click the **Device Settings** tab.

Notice that there are multiple selections under **Form to Tray Assignment**, and that most of them are labeled <Not Available>. This is because no specific tray assignments have been configured.

- 4. Click Upper Paper Tray.
- In the Change 'Upper Paper Tray' Setting box, click Letter Small.
 Notice that Upper Paper Tray is now available.
- 6. Assign Envelope #10 to the Envelope Feeder.
- 7. Click OK.

Exercise 8 Setting Up Separator Pages

In this exercise, you will set up a separator page to print between documents. This separator page will include the users name and the date and time the document was printed.

► To set up a separator page

- 1. Verify that the HP LaserJet 4Si dialog box is active.
- 2. On the Printer menu, click Properties.

The HP LaserJet 4Si Properties dialog box appears with the General tab active.

3. On the General tab, click Separator Page.

The Separator Page dialog box appears.

4. Click Browse.

Another Separator Page dialog box appears.

What are the three separator page files that you can select?

5. Select Sysprint.sep, and then click **Open**.

The first Separator Page dialog box appears.

6. Click OK.

The HP LaserJet 4Si Properties dialog box appears with the General tab active.

7. On the General tab, click OK.

Summary

This objective	Was accomplished by	
Add and share a printer.	Using the Add Printer Wizard to add an HP LaserJet 4Si printer, and then sharing the printer.	
Connect to a shared printer.	Connecting to your lab partner's shared LaserJet printer and printing a document.	
Assign printer permissions to users.	Using the Security tab in the <i>printer_name</i> Properties dialog box to assign permissions to users, and then testing the permissions.	
Create a printing pool.	Adding the local LPT2 and COM2 ports to the printer.	
Schedule documents to print.	Giving the printer a higher priority and changing the available printer hours to 8:00 P.M. until 8:00 A.M.	
Assign forms to paper trays.	Assigning the form Letter Small to the upper paper tray, and the form Envelope #10 to the envelope feeder.	
Set up a separator page.	Selecting a separator page file for the printer.	

Lab 12: Managing Documents and Printers

Objectives

After completing this lab, you will be able to:

- Set a notification for a document.
- Change the priority of a document.
- Cancel a document.
- Redirect documents to another printer.
- Purge a printer.
- Take ownership of a printer.

Before You Begin

Prerequisites

This lab assumes that you installed an HP LaserJet 4Si printer. If your server does not have this configuration, see the *Setting Up a Network Printer* lab.

It also assumes that an account named User2-x (where x is your assigned number) exists in the domain with the Full Control print permission for the printer. If this user account with this permission does not exist, create it now.

Estimated time to complete this lab: 15 minutes

Exercise 1 Managing Documents

In this exercise, you will practice managing documents by pausing and resuming the printing of a document, canceling a document, setting a notification, and changing a document priority.

Important Keep the printer paused to prevent it from trying to communicate with a non-existent print device. This will eliminate error messages in later exercises when documents are spooled.

► To pause the printer

- 1. Log on as Administrator.
- 2. Open the Printers window, and then double-click the HP LaserJet 4Si icon. The HP LaserJet 4Si dialog box appears.
- 3. On the Printer menu, click Pause Printing.

▶ To print documents

- Locate and select the Notepad documents Hamlet.txt and Bronte.txt in the D:\LabFiles\Public\Library folder.
- 2. Right-click the selected documents, and on the shortcut menu that appears, click **Print**.

► To set a notification

- 1. In the HP LaserJet 4Si Printer window, select Bronte.txt.
- On the **Document** menu, click **Properties**.
 The **General** tab of the **Bronte.txt Properties** dialog box appears.
- 3. In the **Notify** box, type User2-x

► To increase the document priority

1. On the **General** tab of the **Bronte.txt Properties** dialog box, notice the default priority.

What is the default priority? Is it the lowest or highest priority?

- 2. On the **General** tab, use the slider to increase the priority of the document.
- 3. Click OK.

Nothing changes visibly in the HP LaserJet 4Si Printer window, but the document prints before other documents.

► To cancel a document

- 1. In the HP LaserJet 4Si Printer window, select Hamlet.txt.
- 2. On the **Document** menu, click **Cancel**.

How can you tell that the document is canceled?

Exercise 2 Managing Printers

In this exercise, you will perform tasks to manage printers. These tasks include redirecting documents, taking ownership of a printer, and purging a printer.

Note Before you begin, make sure that the HP LaserJet 4Si printer is paused and that there are documents in the print queue.

► To redirect documents to another printer

 In the HP LaserJet 4Si Printer window, on the **Printer** menu, click **Properties**.

The HP LaserJet 4Si Properties dialog box appears.

2. Click the Ports tab, and then click Add Port.

The Printer Ports dialog box appears.

3. Click Local Port, and then click New Port.

The Port Name dialog box appears.

- 4. In the **Enter a Port Name** box, type \\studentx\\hplaser4 (where studentx is the name of your partner's computer).
- 5. Click **OK**, and then click **Close**.

How can you tell that the port has been added?

How would you make sure that the documents in your print queue would redirect to \\studentx\hplaser4?

6. Click OK.

► To purge a printer

- 1. Verify that the HP LaserJet 4Si dialog box is active.
- 2. On the Printer menu, click Purge Print Documents.

How can you tell if the documents are purged?

3. Close the HP LaserJet 4Si Printer window and log off.

► To take ownership of a printer

- 1. Log on as User2-x.
- 2. Open the Printers window, and then double-click the HP LaserJet 4Si icon. The HP LaserJet 4Si window appears.
- On the Printer menu, click Properties.
 The HP LaserJet 4Si Properties dialog box appears.
- 4. Click the **Security** tab, and then click **Ownership**. Who currently owns the printer?
- 5. Attempt to take ownership of the printer.
 Were you able to take ownership? Why or why not?

Tip Check the permissions that have been assigned to User2-x for the printer.

Summary

This objective	Was accomplished by	
Set a notification for a document.	Configuring the printer to send notifications of printed documents to User2-x.	
Change the priority of a document.	Changing the default priority of a document from 1 to a higher number.	
Cancel a document.	Deleting a document from the printer by canceling it.	
Redirect documents to another printer.	Configuring another port for the printer and then removing the original port.	
Purge a printer.	Purging all documents in the printer.	
Take ownership of a printer	Logging on as a user with Full Control permission and taking ownership from Administrators.	

Lab 13: Auditing Resources and Events

Objectives

After completing this lab, you will be able to:

- Plan an audit policy for the domain.
- Set up the audit policy.
- Set up auditing on a file.
- Set up auditing on a printer.
- Locate and view events in the security log.
- Archive the security log.
- Clear the security log.
- View events in the archived security log.

Before You Begin

Prerequisites

This lab assumes that you have a printer installed named HPLaser4. If you have not installed a printer, see the *Setting Up a Network Printer* lab.

Estimated time to complete this lab: 30 minutes

Planning a Domain Audit Policy

In this exercise, you will plan an audit policy for the Quebec domain. You need to determine:

- Which types of events to audit.
- Whether to audit the success or failure of an event, or both.

Use the following criteria to make your decisions:

- Record unsuccessful attempts to access the network.
- Record unauthorized access to the AR, HR, and customer databases.
- For billing purposes, track color printer usage.
- Track any time someone tries to tamper with the server hardware.
- Keep a record of actions performed by an administrator to track unauthorized changes.
- Track backup procedures to prevent data theft.

Record your decisions on the following graphic.

Jomain: Quebec	OK
O Do Not Audit	Cancel
Audit These Events. Success Failure	<u>H</u> elp
Logon and Logoff	
Eile and Object Access	
<u>U</u> se of User Rights ☐	
User and Group Management	
Security Policy Changes	
Restart, Shutdown, and System	
Process Tracking	

Exercise 2 Setting Up an Audit Policy

In this exercise, you will enable auditing for selected events.

► To set up the audit policy

Note Because there can only be one audit policy for a domain, complete this procedure on the PDC only.

- 1. Log on as Administrator.
- 2. Start User Manager for Domains.
- On the Policies menu, click Audit.
 The Audit Policy dialog box appears.
- 4. Click Audit These Events.
- 5. Set the audit policy by selecting either the **Success** or **Failure** check box for the events that you identified in the planning exercise.
- 6. Click OK.

Auditing Files and Directories

In this exercise, you will set up auditing for a file.

► To set up file auditing

- 1. Start Windows NT Explorer and expand drive D.
- 2. In the \LabFiles\Public\Library directory, right-click Bronte.txt.
- 3. Click **Properties**, and then click the **Security** tab.

Note Auditing can only be done on NTFS partitions. If the **Security** tab does not appear, it indicates that the selected file is not on an NTFS partition.

4. Click Auditing.

The File Auditing dialog box appears.

5. Click Add.

The Add User and Groups dialog box appears.

- 6. In the Names list, click Everyone, and then click Add.
- 7. Click OK.

The Everyone group appears in the File Auditing dialog box.

- 8. Under **Events to Audit**, select the **Success** check box for the following events:
 - Delete
 - Change Permission
 - Take Ownership
- 9. Click **OK** to apply your changes.
- 10. Click **OK** to exit the **Properties** dialog box and return to Windows NT Explorer.

Exercise 4 Auditing a Printer

In this exercise, you will set up auditing for a printer.

► To audit a printer

- 1. Click Start, point to Settings, and then click Printers.
- 2. In the Printers window, double-click the printer HP LaserJet 4Si.
- 3. On the **Printer** menu, click **Properties**.
- 4. Click the **Security** tab.
- Click Auditing.
 The Printer Auditing dialog box appears.
- 6. Click Add.
- 7. In the Names list, click Everyone, and then click Add.
- 8. Click OK.
- 9. Under **Events to Audit**, select the **Success** check box for the following events:
 - Print
 - Change Permissions
 - Take Ownership
- 10. Click **OK** to apply your changes.
- 11. Click OK to close the HP LaserJet 4Si Properties dialog box.
- 12. Close the Printer window.

Creating Security Log Entries

In this exercise, you will perform tasks that create entries in the security log so that you can view the entries.

► To create log file entries

- 1. Log off and then log on as any user.
- 2. Connect to \\Studentx\\Public (where Studentx is your partner's computer).
- 3. Open the file \Library\Bronte.txt by double-clicking it.
- 4. Close the file.
- 5. Log off and then log on as Administrator.
- 6. Create a user account.
- 7. Shut down and restart your computer.

Exercise 6 Viewing the Security Log

In this exercise, you will view the security log for your computer and for another computer.

► To view the security log for your computer

- 1. Log on as Administrator.
- In Administrative Tools, click Event Viewer. The system log for your computer appears.
- 3. On the **Log** menu, click **Security**.
- 4. Scroll through the log and look for the following categories of events.
 - Logon/Logoff
 - Object Access
 - Privilege Use
 - Account Manager
- 5. Double-click the different events for a description of them.

► To view the security log for another computer

1. On the Log menu, click Select Computer.

The Select Computer dialog box appears.

2. In the **Computer** box, type **student***x* (where **student***x* is your partner's computer) and then click **OK**.

The Event Viewer for your partner's computer appears.

- 3. If the Security log does not already appear, on the **Log menu**, click **Security**.
- 4. Scroll through the log and look for the following categories of events.
 - Logon/Logoff
 - Object Access
 - Privilege Use
 - Account Manager
- 5. Double-click the different events for a description of them.

Notice that you can view all security events for the remote computer.

6. On the **Log** menu, click **Select Computer**.

The Select Computer dialog box appears.

7. In the **Computer** box, type **student***x* (where **student***x* is *your* computer) and then click **OK**.

Filtering and Searching Events

In this exercise, you will use Event Viewer to filter events and to search for potential security breaches.

► To filter for Logon/Logoff events

- 1. In Event Viewer, on the Log menu, click Open.
 - The **Open** dialog box appears.
- 2. Open the Security.evt file in the D:\LabFiles folder.

The **Open File Type** dialog box appears. The System file type is selected by default.

- 3. Under Open File of Type, click Security, and then click OK.
 - The Security event log for Security.evt appears.
- 4. On the View menu, click Filter Events.
 - The Filter dialog box appears.
- 5. In the Source box, click Security.
- 6. In the Category box, click Logon/Logoff, and then click OK.
- 7. Double-click each event for a description.

What types of Logon/Logoff events were recorded that may indicate someone was attempting to access the system?

► To filter for unauthorized access to files and folders events

- 1. On the View menu, click Filter Events.
 - The Filter dialog box appears.
- 2. In the Source box, click Security.
- 3. In the Category box, click Object Access.
- 4. Under **Types**, select the **Failure Audit** check box, and then click to clear all other check boxes.
- 5. Click OK.
- 6. Double-click each event to see a description.

What file could not be accessed (if necessary, scroll through the list)?

What action was attempted on the file?

► To search for printer usage events using the Find command

- 1. On the View menu, click All Events.
- On the View menu, click Find.The Find dialog box appears.
- 3. In the **Description** box, type **printer** and then click **Find Next**. The first event containing the found text will be highlighted.
- 4. On the View menu, click Detail.
 In the Description box, under Accesses, what action was performed?

► To search for server hardware events using the Find command

- On the View menu, click Find.
 The Find dialog box appears.
- 2. Click Clear to reset the Find dialog box options.
- 3. In the **Description** box, type **shutdown** and then click **Find Next**. The first event containing the found text will be highlighted.
- 4. On the View menu, click Detail.
 When was the last time the computer was shut down?

► To reset Event Viewer to view logs on your own computer

- On the Log menu, click Select Computer.
 The Select Computer dialog box appears.
- 2. In the **Computer** box, type **student***x* (where **student***x* is your computer) and then click **OK**.

Controlling the Security Log

In this exercise, you will configure Event Viewer to overwrite events when the log file gets full.

- ► To control the size and contents of a log file
- On the Log menu, click Log Settings.
 The Event Log Settings dialog box appears.
- Select Overwrite Events as Needed.
 Older events will now be overwritten by new events.
- 3. Click **OK** when finished.

Exercise 9 Archiving the Security Log

In this exercise, you will archive the current security log.

► To archive the security log

- 1. Start Windows NT Explorer and expand drive D.
- 2. Create a folder named Archives in D:\.
- 3. Exit Windows NT Explorer, and then go to Event Viewer.
- 4. On the Log menu, click Security.
- 5. On the Log menu, click Save As.
- 6. In the **File Name** box, type a name that easily identifies the file.

Tip If you archive security logs, include the date as part of the file name to help you locate the file quickly.

7. In the **Save in** box, click (**D:**), double-click the \Archives folder, and click **Save**.

Exercise 10 Clearing the Security Log

In this exercise, you will clear the security log.

► To clear the security log

1. On the Log menu, click Clear All Events.

A message appears, asking you if you want the save the event log before closing it.

2. Click No.

Another message appears, warning that this is an irreversible action and requesting verification.

3. Click Yes.

Do any events appear in the security log?

What is the description of this event?

Viewing an Archived Security Log

In this exercise, you will view an archived security log.

► To view an archived security log

- 1. On the Log menu, click Open.
- 2. In the **File Name** box, type the path and name of the file that you archived or, in the **Look in** list, select the file.
- 3. Click Open.
- 4. In the Files of type box, click Security.
- 5. Click OK.
- 6. Exit Event Viewer.

Summary

This objective	Was accomplished by	
Plan an audit policy for the domain.	Planning an audit policy based on criteria for the Quebec domain scenario.	
Set up the audit policy.	Using User Manager for Domains to select events to audit based on your audit policy plan.	
Set up auditing on a file.	Using Windows NT Explorer to set up auditing to track the success of Delete, Change Permissions, and Take Ownership events on the Bronte.txt file.	
Set up auditing on a printer.	Modifying the printer properties to set up auditing to track the success of Print, Change Permissions, and Take Ownership events on a printer.	
Locate and view events in the security log.	Using Event Viewer to view the security log, and by using the Filter option to selectively search for events.	
Archive the security log.	Using Event Viewer to save a log to a designated directory.	
Clear the security log.	Clearing the contents of a security log.	
View events in the archived security log.	Opening an archived log using Event Viewer.	

Lab 14: Monitoring Network Resources

Objectives

After completing this lab, you will be able to:

- Add a user to the Server Operators group.
- Determine the Server Operators group built-in rights.
- View open files.
- View a list of all users connected to the server.
- View a list of resources shared by computers.
- View a list of open resources on the server.
- Send a message to a connected user.
- Observe the effects of disconnecting remote users.

Estimated time to complete this lab: 30 minutes

Adding a User to the Server Operators Group

In this exercise, you will give a user the rights to administer the server by adding their account to the Server Operators group.

► To add a user to the Server Operators group

- 1. Log on as Administrator and start User Manager for Domains.
- 2. Create a user account and add it to the Server Operators group.
- 3. From a command prompt, type **net accounts /sync** and press ENTER to make the account available throughout the domain immediately.

► To determine the built-in rights that are assigned to Server Operators

- In the User Manager for Domains window, on the Policies menu, click User Rights.
- 2. Select each user right to determine which of them are assigned to the Server Operators group by default. Select the appropriate boxes.

Ope	operators group by deriant. Server are appropriate					
	Access this computer from network					
	Add workstations to domain					
d	Back up files and directories					
	Change the system time					
	Force shutdown from a remote system					
	Load and unload device drivers					
	Log on locally					
	Manage auditing and security log					
	Restore files and directories					
	Shut down the system					

☐ Take ownership of files or other objects3. Exit User Manager for Domains and log off Windows NT.

Viewing Open Files and User Sessions and Connections

In this exercise, you will use Server Manager to view open files, user sessions, and user connections to your server.

► To open a remote resource

- 1. Log on to your computer using the account that you created and added to the Server Operators group in the previous exercise.
- 2. Right-click Network Neighborhood, and click **Map Network Drive**. The **Map Network Drive** dialog box appears.
- 3. Connect drive P to the Public shared folder on your partner's computer.
- 4. Start WordPad (from the Accessories menu) and open P:\Expenses.doc.
- 5. Minimize Word Viewer.

► To view open files

Note Make sure your partner has completed the previous procedure before you continue.

1. In Administrative Tools, start Server Manager, and then double-click the name of your server.

The **Properties for Student***x* dialog box appears.

2. Click In Use.

The **Open Resources on Student***x* dialog box appears.

What resources are currently open?

Who is using the open files?

For what tasks have the files been opened?

3. Click Close to return to the **Properties for Student***x* dialog box.

► To view existing sessions and connections

1. In the **Properties for Student***x* dialog box, click **Users**.

The User Sessions on Studentx dialog box appears.

Notice the users that have established a session with your server.

Notice the connections that have been established to your server.

- 2. Click Start, and then click Run.
- 3. In the **Run** box, type \\studentx\netlogon (where studentx is your partner's computer) and then click **OK**.
 - A **Windows NT Explorer** window that shows the contents of the Users shared folder appears.
- 4. Switch to Server Manager.
- 5. Update the contents of the **User Sessions on Student***x* dialog box by closing the dialog box and then opening it.

Notice the resources in use.

6. Click **Close** to return to the **Properties for Student***x* dialog box.

Exercise 3 Viewing Server Resource Usage

In this exercise, you will use Server Manager to view resources shared by other computers, to view which resources are open on the server, and to create a shared folder.

► To view a list of resources shared by computers

Note Complete this procedure while logged on as the user account that you added to the Server Operators group.

1. In the **Properties for Student***x* dialog box, click **Shares**. The Shared Resources on Student*x* dialog box appears.

2. Under Sharename, click Public.

Who is connected to the Public share?

Is anyone connected to the IPC\$ share? If so, who?

- 3. Click Close to return to the Properties for Studentx dialog box.
- ► To view a list of open resources on the server
- 1. In the **Properties for Student***x* dialog box, click **In Use**. Notice the resources in use on Student*x*.
- 2. Click Close to return to the Properties for Studentx dialog box.

► To set an administrative alert

- 1. Log on as Administrator, start Server Manager, and then double-click the name of your server.
- 2. Click Alerts.

The Alerts on Studentx dialog box appears.

3. In the **New Computer or Username** box, type **Administrator** and then click **Add**.

Administrator appears under Send Administrative Alerts To.

- 4. Click **OK** twice to apply your changes.
- 5. Exit all applications and log off Windows NT.

Disconnecting a User

In this exercise, you will work with your partner. You will send a message to the user at the BDC and use the PDC to disconnect that user from a shared resource.

► To connect to a shared resource

Note Complete this procedure from the BDC.

- 1. Log on using the account that you created for your Server Operators group.
- 2. Connect to the Public shared folder on the PDC.
- Use Notepad to create a text file and save it in the Public folder.Do not close the file.

► To send a message to users connected to a server

Note Complete this procedure from the PDC.

- 1. Log on using the account that you created for your Server Operators group.
- 2. Start Server Manager, and then click the PDC.
- 3. On the Computer menu, click Send Message.

The Send Message dialog box appears.

- 4. Under **Message**, type a message notifying users to save any open files and that they are about to be disconnected.
- 5. Click **OK** to send the message.

What computer or computers received the message?

What information was added to your message?

► To disconnect a user from a shared resource

Note Complete this procedure from the PDC.

- 1. In Server Manager, make sure that the PDC is selected.
- On the Computer menu, click Properties.
 The Properties for Studentx dialog box appears.
- 3. Click Users.

The User Sessions on Studentx dialog box appears.

4. Click Disconnect All.

A Server Manager message box appears warning you that disconnecting users may cause loss of data.

5. Click Yes to disconnect the users.

What happened in the **User Sessions on Student***x* dialog box when the user was disconnected?

► To observe the effect of disconnecting a user

Note Complete this procedure from the BDC.

- 1. Did you notice any changes on your computer when you were disconnected from the PDC?
- 2. In the text file you created, add more text, and then save the file.
 Did you need to reconnect to the Public folder on the PDC to save the file?
 Why or why not?
- 3. Exit all applications and log off Windows NT.

If Time Permits 1...

Creating a Shared Folder on a Remote Server

In this exercise, you will use Server Manager to share a folder on your partner's computer.

► To create a shared folder on a remote server

- 1. Log on as Administrator and start Server Manager.
- 2. Select your partner's computer, and then, on the **Computer** menu, click **Shared Directories**.

The Shared Directories dialog box appears.

- 3. Select the ADMIN $\$ shared folder, and then click $\$ Properties.
 - Notice that the Comment for the ADMIN\$ share indicates that it is used for remote administration.
- 4. Click Cancel to return to the Shared Directories dialog box.
- 5. Click New Share.

The New Share dialog box appears.

- 6. In the **Share Name** box, type **Library***x* (where *x* is your student number).
- 7. In the **Path** box, type **d:\labfiles\public\library** and then click **OK** to apply your changes.

The Shared Directories dialog box appears.

- 8. Click Close.
- 9. Exit all applications and log off Windows NT.

If Time Permits 2...

Using Windows NT Diagnostics to View Configuration Information

In this exercise, you will use Windows NT Diagnostics to view configuration information.

► To view software configuration information

- 1. Log on as Administrator.
- 2. In Administrative Tools, start Windows NT Diagnostics.
- 3. Locate and record the following information by reviewing each tab.

Requested information	WinMSD tab	Value
Registered owner		
Registered organization		
Version number		
Build number		
System root (windir)		
Domain name		
CPU type		

4. Locate and record the following information.

Requested information	Your configuration
Total physical memory	
Available physical memory	
Total page file space	
Available page file space	
Paging files	

Summary

This objective	Was accomplished by
Add a user to the Server Operators group.	Using User Manager for Domains to create a user account and add it to the Server Operators group.
Determine the Server Operators group built-in rights.	Viewing the user rights for the Server Operators group in User Manager for Domains.
View open files.	Using the In Use button in Server Manager to view files opened by a user connected to a server.
View a list of all users connected to the server.	Using the Users button in Server Manager to view a list of users connected to a server.
View a list of resources shared by computers.	Using the Shares button in Server Manager to view a list of shared folders on a server.
View a list of open resources on the server.	Using the In Use button to view a list of open files, user sessions, and connections.
Send a message to a connected user.	Using the Send Message command in Server Manager to send a message to a connected user.
Observe the effects of disconnecting remote users.	Using the Users button in Server Manager to disconnect a connected user and observing the result.

Lab 15: Backing Up Data to Tape

Objectives


After completing this lab, you will be able to:

- Plan a backup schedule.
- Grant a user only the right to back up files to tape.
- Back up files to tape.
- Write a batch file to back up files and folders.
- Schedule the Backup program to start automatically.

Estimated time to complete this lab: 45 minutes

Exercise 1 Planning a Backup Schedule

In this exercise, you will work with your partner to plan a backup schedule for the following data. Record your decisions on the *Backup Planning Worksheet*.



You need to determine:

- Whether files and folders should be backed up daily or weekly.
- A weekly backup schedule that includes a backup type for each day, which tape to use, and whether that tape will be archived or reused.

Use the following criteria to make your decisions:

- Applications are upgraded approximately every three months. Minor updates are applied as necessary.
- The Accounts Receivable (AR) database is updated each day with full and partial payments received from customers.
- The Human Resources (HR) database is updated every time a new employee is hired or an existing employee goes on vacation.

- Users store letters, memos, and archived e-mail in their home folders. Most data does not change frequently.
- Critical customer files are stored in the Customer database.
- Lost data must be restorable in a quick and easy manner.
- All backups should be well documented.

Exercise 2

Adding a User to the Backup Operators Group

In this exercise, you will remove the Restore files and directories user right from the Backup Operators group and then give a user the rights to back up the computer by adding their account to a global group and assigning the global group membership in the Backup Operators group.

Note Complete the following procedure from the PDC only.

► To restrict Backup Operators from restoring files and directories

- 1. Log on as Administrator and start User Manager for Domains.
- On the Policies menu, click User Rights.The User Rights Policy dialog box appears.
- 3. In the Right box, click Restore files and directories.
- 4. In the Grant To box, click Backup Operators, and then click Remove.
- 5. Click **OK** to apply your changes.
- 6. Create a global group named Backup Only.
- 7. Add the Backup Only group to the Backup Operators group.

► To give a user the rights to back up the computer

Note Complete this procedure from both computers.

- 1. Create a user account.
- 2. Add the user to the Backup Only group.
- 3. Close User Manager for Domains.
- 4. From a command prompt, type **net accounts /sync** and press ENTER to make the account available throughout the domain immediately.

Exercise 3 Backing Up Files to Tape

In this exercise, you will use the Backup Simulation program to simulate backing up files to tape. This simulation will include:

- Erasing the tape
- Selecting files and folders to back up
- Selecting the backup type
- Selecting backup and log options

Note The Backup Simulation program allows you to perform a backup without having a tape drive connected to your computer.

► To start the Backup Simulation program

While logged on as Administrator, click Start, point to Programs, and then click Backup Simulation.

The Backup Simulation window appears.

► To erase a tape

 In the Backup Simulation window, on the Operations menu, click Erase Tape.

The Erase Tape dialog box appears.

2. Click Secure Erase, and then click Continue.

The Erase Status window appears.

3. When the tape is erased, click **OK**.

► To select files and folders to be backed up

1. Double-click the disk icon for drive D.

The D:*.* window appears.

- 2. Expand the folder hierarchy for drive D.
- 3. Select only the check boxes of the following files and folders:
 - D:\Data\Managers\Sven.doc
 - D:\Public\Library\Bronte*.*
 - D:\Public\Templates\Time*.*

Note If you were using Windows NT Backup, the check box for the parent folder of the selected file would appear dimmed. The Backup Simulation program does not do this.

► To begin the backup process

1. In the Backup Simulation window, click Backup.

-or-

On the Operations menu, click Backup.

The Backup Information dialog box appears.

- 2. If you want a tape name other than the default, in the **Tape Name** box, type a descriptive name for your tape. For example, **Archive data** *today's date*
- 3. Select the following options:
 - Replace
 - Verify After Backup
 - Restrict Access To Owner or Administrator

Why is the **Append** option unavailable?

► To specify a backup set description

- 1. In the **Description** box, type a descriptive name for your backup. For example, type **Classics** *today's date*
- 2. In the Backup Type box, click Normal.
- 3. Accept the default path of D:\Winnt\Backup.log for the log file.
- 4. In the **Log Information** box, click **Full Detail**, and then click **OK.** The Backup Status window appears.
- 5. When the backup process is finished, click **OK**.

The **Tapes** window appears.

6. Minimize the Backup Simulation window.

Important The Backup Simulation program is designed to back up and restore files in a single operation. This means that if you close the program, you will need to perform another backup before you are able to restore files in the next lab.

► To view the backup log

- 1. Start Windows NT Explorer.
- 2. Open the Backup.log file located in the D:\Winnt folder. Look at the file. What files were backed up in the **Template** folder?
- 3. Close the backup log.

Note The Backup Simulation program will only create a Full Detail log.

Exercise 4


Writing a Batch File to Back Up Data

In this exercise, you will work with your partner to write a batch file to schedule a backup for servers in the Quebec domain.

The batch file should:

- Back up the files in both the shared CustomerData folder and the shared ARData folder that have changed since the last backup markers were set. Do not set new backup markers.
- Back up the Registry.
- Provide the description "Customer Data" on the backup tape.
- Create a log named "Tuesday.log."
- Verify the backup.
- Add the backup to the Tuesday backup tape.
- Not implement hardware compression.

The following are the network servers and the data that they contain.



Write down the commands that should appear in the batch file. Use the following command options.

Description
Appends the backup set.
Backs up the local Registry.
Describes the backup set.
Log exceptions, such as summary log, or don't log. If this option is not used, a full detail log is created.
Assigns a file name to the log file.
Limits access to the tape to Administrators, Backup Operators, or the user who performed the backup.
Specifies the backup type.
Confirms that the files were backed up accurately.
Enables or disables hardware compression for tape drives that support it.
Connects to a remote share.
Disconnects from a remote share.

Exercise 5 Scheduling the Backup

In this exercise, you will schedule unattended events to run on your computer and on a remote computer. You will schedule Notepad and Solitaire instead of the Backup program because your computer does not have a tape drive.

Note Before you can use the at command, the Windows NT Schedule service must be running. In this exercise, you will start the Schedule service to start automatically when the computer is restarted.

► To start the Schedule service

- Start Server Manager.
 The Server Manager window appears.
- 2. Select your computer, and then, on the **Computer** menu, click **Services**. The **Services on** *server_name* dialog box appears.
- 3. In the **Service** box, click **Schedule**, and then click **Startup**. The **Service on** *server_name* dialog box appears.
- 4. In the Startup Type box, click Automatic, and then click OK.
- In the Services on server_name dialog box, click Start.
 The Schedule service starts.
- 6. In the Services window, click Close.
- 7. Exit Server Manager.

► To configure the Schedule service using the at command

- 1. Start a command prompt.
- 2. Check the **at** command syntax by typing **help at more** and then pressing ENTER.
- 3. Read the information about the at command.
- 4. Check the current system time and write it down here:
- 5. Add two minutes to the system time, type the following command, and then press ENTER. Substitute the future time for hh:mm using the 24 hour format. at hh:mm /interactive ''d:\winnt\system32\notepad.exe''
 Notepad should run on your computer within the next couple of minutes.

Note If Notepad fails to run, use the taskbar clock to verify that the time that you entered is correct for A.M. or P.M.

► To configure the at command to schedule events for a remote computer

Note Make sure that your partner has completed the previous procedure and that the Schedule service has started before you begin this procedure.

- 1. Ask your partner for the current system time of his or her computer and write it down here:
- 2. Add two minutes to the system time, type the following command, and then press ENTER. Substitute the future time for *hh:mm*.

at \\partner's_server hh:mm /i "d:\winnt\system32\sol.exe"

Solitaire should run on your partner's computer within the next couple of minutes.

Note If Solitaire fails to run, use the taskbar clock to verify that the time you entered is correct for A.M. or P.M.

3. Close the command prompt window.

If Time Permits... Using the Command Scheduler

In this exercise you will use the Resource Kit tool *Command Scheduler* to configure the Windows NT Schedule service and start Freecell at a specified time. This tool has been added to your **Program** menu.

► To configure the Schedule service using Command Scheduler

Click Start, point to Programs, and then click Command Scheduler.
 The Command Scheduler window appears.

Note If the Schedule service is not running on your server, Command Scheduler will prompt you to start it.

2. Click Add.

The Add Command dialog box appears.

- 3. In the Command box, type d:\winnt\system32\freecell.exe
- Under This Occurs, click Today.
 Under Days, notice that the current day is selected.
- 5. Under Time, add two minutes to the system time to specify a future time.
- Select Interactive, and then click OK.
 Notice that the configured command appears in the Command Scheduler window.
- Exit Command Scheduler and wait until the entered time arrives.
 Freecell should run on your computer within the next couple of minutes.

Summary

This objective	Was accomplished by
Plan a backup schedule.	Developing a backup strategy based on provided criteria, and recording the strategy on the <i>Backup Planning Worksheet</i> .
Grant a user only the right to back up files to tape.	Removing the Restore right from the Backup Operators group, creating a global group and adding it to the Backup Operators group, and adding a user account to the global group.
Back up files to tape.	Using the Backup Simulation program to back up files and folders based upon criteria.
Write a batch file to back up files and folders.	Creating a batch file based upon criteria.
Schedule the Backup program to start automatically.	Using At.exe to schedule an application to start automatically at a specified time.

Lab 16: Restoring Data from Tape

Objectives

After completing this lab, you will be able to:

- Implement a restore strategy.
- Grant a user only the right to restore files.
- Restore files and directories from a tape.

Before You Begin

Prerequisites

This lab assumes that you have successfully completed a backup operation using the Backup Simulation program in the *Backing Up Data to Tape* lab. It is also assumed that you minimized, but did not close, the Backup Simulation program.

If you closed the Backup Simulation program, repeat the *Backing Up Data to Tape* lab now.

Estimated time to complete this lab: 30 minutes

Exercise 1

Implementing a Restore Strategy

In this exercise, you will determine a restore strategy based on how the corrupted data was backed up as provided in the scenario.

Scenario

Your backups had the following characteristics:

- You back up drives D and E locally on the public server late in the evening.
- You archive the Wednesday backup. The remaining days you append to tapes.
- You always select Verify After Backup and the Full Detail log option.

On Monday a user tells you that the following three files are corrupt, and the user is not sure if changes were made on Thursday or Friday.

- D:\Library\Templates\Timesheet.doc
- D:\Data\Accounting\AR.mdb
- D:\Data\Sales\Pricelist.xls

You do the following:

1. Check your backup schedule, which is as follows.

Monday	Tuesday	Wednesday	Thursday	Friday
1	1	N		www
10 E	38	1 T	3 E	3.
1	2	3	4	5
		N	I	800
1 E	30	BE	8 E	BE
1	2	6	4	
	N = Norma	al I = In	cremental	

From this schedule, can you determine the last time the files were backed up?

- 2. From Windows NT Explorer, open D:\Labfiles\Backup.log.
- 3. Search for the corrupted files.

When was the last time they were backed up?

On what tape will you find the files that you need?

Exercise 2

Creating and Adding a User to the Restore Operators Group

In this exercise, you will create a local group called Restore Operators and grant the group the **Restore files and directories** user right. You will then give a user the rights to restore the computer by adding their account to a global group and assigning the global group membership in the Restore Operators group.

Note Complete the following procedure from the BDC only.

▶ To create a Restore Operators group

- 1. Start User Manager for Domains.
- 2. Create a local group named Restore Operators.
- On the Policies menu, click User Rights.
 The User Rights Policy dialog box appears.
- 4. Grant the following user rights to the Restore Operators group:
 - Log on locally
 - Restore files and directories
 - · Shut down the system
- 5. Click **OK** to apply your changes.
- 6. Create a global group named Restore Only.
- 7. Add the Restore Only group to the Restore Operators group.

► To give a user the rights to restore to the computer

Note Complete the following from both computers.

- 1. Create a user account and add it to the Restore Only group.
- 2. Close User Manager for Domains.
- 3. From a command prompt, type **net accounts /sync** and press ENTER to make the account available throughout the domain immediately.

Exercise 2 Restoring a File from Tape

In this exercise, you will use the Backup Simulation program to restore files from tape based on specific criteria. This simulation will include:

- Finding a file in the Backup Log
- Selecting a backup set and creating a catalog
- Selecting a file to restore
- Selecting the restore and log options

The following are the criteria to follow for this exercise:

- Restore the file Sven.doc
- Verify the restore
- Restore the file to its source directory
- Restore file permissions
- Log full details of the restore

Note The Backup Simulation program allows you to perform a restore without having a tape drive connected to your computer.

► To find the file to restore in the Backup Log

- 1. In Windows NT Explorer, open D:\Winnt\Backup.log.
- 2. Find the Backup Log and open it.
- Search the Backup Log for the file Sven.doc. Write the path for the document.
- 4. Close the Backup Log.

▶ To restore files from tape

- 1. Click **Backup Simulation** on the taskbar to restore the application.
- 2. Verify that the Tapes window is the active window.
 What type of backup set was used to back up the data?

3. In the right pane of the Tapes window, double-click the backup set to load the backup set catalog.

Note The Backup Simulation creates only one backup set. As a result, you only need to load a backup set catalog.

The *tape_name* window appears. Notice that the catalog status information appears under **Summary**.

- When the cataloging operation is finished, click **OK**.
 The backup set contents are displayed in the *tape_name* window.
- 5. Expand the folder hierarchy to locate the file that you want.
- 6. Select the check box of the file that you want to restore, and then click **Restore**.

The **Restore Information** dialog box appears.

Who owns the tape?

- 7. In the **Restore to Drive** box, type **d:**\ and verify that the **Alternative Path** box is empty.
- 8. Click Verify After Restore and Restore File Permissions, and then click Full Detail.
- 9. Click OK.

The Restore Status window, and then the Verify Status window appears. What restore operations does Windows NT Backup verify?

- 10. When the restore is finished, and the message, "The operation was successful" appears under **Summary**, click **OK**.
- 11. Exit the Backup Simulation program.

Summary

This objective	Was accomplished by
Implement a restore strategy.	Planning a restore based on the backup.
Grant a user only the right to restore files.	Creating a local group (Restore Operators) and granting it the right to restore files, creating a global group and adding it to the Restore Operators group, and adding a user account to the global group.
Restore files and directories from a tape.	Using the Backup Simulation program to restore a file.

Lab Answers